BATA INDUSTRIALS CATALOG 2020-2021









Companies often say "The safety of our coworkers always comes first".

But does it really? I'm sure it's their intention, but is it a fact?

It will not come as a surprise that we, Bata Industrials, want safety to be a fact.

Whether it is in a plant, distribution center, production site, factory, or any other place where professionals might encounter hazardous working conditions. Because no matter how skilled people might be, they are always vulnerable.

We can decrease that vulnerability and turn it into safety. By making professionals stand strong, be comfortable, walk with confidence, and stay safe under all circumstances.

That does not start with just a safety shoe. That starts with The Safety Shoe, and we have a catalog full of them.

Stay safe,

Martijn Mathot

Managing Director

THE SAFETY SHOE

Content

Finding the Perfect Match	6
Radiance collection	8
3B-motion	10
Mammoet collection	12
SportMates® collection	16
Eagle collection	18
Forward collection	20
Walkline® Evo	24
Traxx collection	26
Enduro ACT collection	30
Odor Control	35
Enduro PWR collection	36
HDry®	39
Helix collection	40
Longreach Boa	42
Nova collection	44
Classics collection	48
City collection	51
Bright collection	52
Bickz collection	54
Hero collection	58
PVC boots collection	61
Find your shoe	62
The Safety Standard	65
Socks collection	66
Inlay Soles collection	76
Bata adapt®	78

FINDING THE PERFECT MATCH

We know what moves you. We know that people work at their best when they have the right equipment, are well-protected and feel comfortable. Keeping them safe, healthy, active and energized. That's exactly what we're going for.

Through our extensive knowledge and broad experience in various working environments, we know exactly what you need, what your circumstances are, what challenges you face and how you move throughout your day.

Bata Industrials has selected 6 main industries to focus on when we develop our shoes. But it doesn't stop there! We know how much jobs in a single area can vary. That's why we created a perfect footwear solution for any job that needs to be done. The perfect match for your needs

and wishes. We are more than happy to advise you.

For example, we have developed different sole materials and profiles for any working surface. And no matter what climate or weather condition you work in: we have the right upper available. From waterproof to extremely breathable. Whatever the environment or circumstances, Bata Industrials always has The Safety Shoe.

SERIOUSLY.



CONSTRUCTION





HEAVY INDUSTRY



AUTOMOTIVE



LIGHT INDUSTRY



AGRICULTURE



Seriously safe. Seriously boosting.

The Radiance Collection is designed with an eye for style, safety and comfort. In addition to the sporty look, the shoes offer maximum protection and ultimate comfort. All day long. To give your feet the highest level of comfort, the Radiance Collection features a special lightweight EVA midsole with 3B-Motion Technology: Bata's Boosting

Base. This gives feet a huge power boost every step of the way. In combination with an inlay sole of high elastic EVA and the robust SRC certified Vibram® outsole, this ensures an optimal level of comfort and energy return. Even after a long working day your feet still feel comfortable and you still have a lot of energy left!

FIT ESD S1P

- > Knitted fabric/seamless TPU film upper/abrasion resistant TPU toecap
- New generation breathable FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > Uk size range: 2-12 (including 6.5 and 9.5)











FULI META FRE

SPARK ESD S1P

- > Knitted fabric/seamless TPU film upper/abrasion resistant TPU toecap
- » New generation breathable FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > Uk size range: 2-12 (including 6.5 and 9.5)













VIM ESD S1P

- Knitted fabric/seamless TPU film upper/abrasion resistant TPU toecap
 New generation breathable FlexGuard® composite
- penetration resistant insert > Composite toecap
- > Mesh lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > Uk size range: 2-12 (including 6.5 and 9.5)













ENERGY ESD S3

- > Mesh/seamless TPU film upper/abrasion resistant TPU toecap
- New generation breathable FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > Uk size range: 2-12 (including 6.5 and 9.5)













UP ESD S3

- > Mesh/seamless TPU film upper/abrasion resistant TPU toecap
- New generation breathable FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > Uk size range: 2-12 (including 6.5 and 9.5)











To give your feet the highest level of comfort, the Radiance Collection features a special lightweight EVA midsole, using our own developed 3B-Motion technology: Bata's Boosting Base. The special molecular EVA structure is arranged in such a way that very little energy is lost upon ground impact. The use of specially formulated EVA material with high cushioning and elastic properties increases the level of comfort even further. What's more, you will get a real power BOOST when you are walking and, as a result, you will feel more energized.

BOOSTING BASE BATA'S BOOSTING BASE

ENERGY RETURN CUSHION

As a global leader in safety shoes, Bata Industrials has carefully adapted the highly boosting properties of EVA in the midsole. EVA is a common cushioning material in modern sports shoes, but the movements you make while working are different from when you are jogging; you lift, turn, kneel, bend and so on. It is therefore essential to get maximum feet and knee support. That is why we have performed numerous density tests in order to create a perfect balance between cushioning, energy return and stability.

STABILITY

The midsole hardness is 48 shore C. Wearing tests have proven that this is the right amount of softness to get the best balance between maximum feet comfort and stability. To ensure maximum stability, a stabilizer is placed on the upper at the heel.

COMFORT

By experimenting with the hardness of the midsole, we did not have to settle for a hard, uncomfortable rubber midsole or a structureless fluffy midsole. By incorporating our 3B-Motion technology, we have managed to create a perfect rebound, and therefore a smooth and comfortable feel. You can feel the boost in each step!



outsole. A premium collection that incorporates the

provides maximum shock absorption. Thanks to the

Control® prevents unpleasant odors and the breathable

Bata Cool Comfort® lining keeps your feet cool and dry.

All to keep you fit, alert and therefore safe at work.

latest technologies. The innovative Tunnelsystem®

HDry® membrane the shoes are waterproof, Odor

ANCHOR S3

ANKLE HIGH MODEL WITH LACES AND ZIPPER

- > Full grain leather/abrasion resistant TPU upper/ abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Dirt proof zipper
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > PII/rubber sole > Width: XW
- > Size range: 36-49
- > UK size range: 3-14 (including 6.5 and 9.5)













BARGE S3 PULL ON BOOT

- > Full grain leather/abrasion resistant TPU upper/ abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Pull-up straps
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > PU/rubber sole
- > Width: XW
- > Size range: 36-49
- > UK size range: 3-14 (including 6.5 and 9.5)











BOLSTER S3 HIGH MODEL WITH LACES AND ZIPPER

- > Full grain leather/abrasion resistant TPU upper/ abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Dirt proof zipper
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > PU/rubber sole
- > Width: XW
- > Size range: 36-49 > UK size range: 3-14 (including 6.5 and 9.5)

















WINCH S3

ANKLE HIGH MODEL WITH LACES

- > Full grain leather/abrasion resistant TPU upper/ abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Bata Cool Comfort®-lining > Odor Control
- > HDry® waterproof membrane
- > PU/rubber sole
- > Width: XW
- > Size range: 36-49
- > UK size range: 3-14 (including 6.5 and 9.5)















Mammoet makes high demands on the safety shoes

for their professionals. Bata Industrials has all the

expertise and years of experience to make the best

of shoes, boots and socks of superior quality. The

shoes and boots are made of full grain leather with

an extra soft PU inlay sole and a SRC certified rubber

safety shoes. Together we have developed a collection

MAMMOET ALLROUND ALL SEASONS SOCK

- > Calf-length sock (also to wear in the Bolster and Barge)
- Optimal wearing comfort thanks to the anatomically shaped foot sole in the left and right sock
- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Leg, ankle and arch support
- > Smooth board
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption
- Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 49% cotton, 22% polyamide, 17% Pro-Cool® (polyester), 9% Amicor™ (acrylic), 2% Lycra® (elastane), 1% Bekinox® (metal fiber) Available in: black with red accents

Available in: black with red accents Sizes: 35-38 / 39-42 / 43-46 / 47-50 UK sizes: 2-5 / 6-8 / 9-11 / 12-15







Collaboration between Mammoet and Bata Industrials: Best of both worlds

For this new collection of safety shoes and boots we have joined forces with Mammoet. With the common goal: to guarantee professionals the best possible protection. Both companies have a long history as market leaders in their field. And both are headquartered in the Netherlands. From there, we both derive maximum value from our global presence. Bata Industrials is part of the Bata Shoe Organization, the world's largest shoe manufacturer.

Safety, health and comfort. Bata Industrials is constantly pushing the boundaries in these areas. Combining our extensive expertise and experience with first-class materials,

the most advanced techniques and the latest insights into design and comfort. We collaborate with scientists and carry out extensive tests in our own SATRA certified A-status laboratory. Only when a shoe has passed all the tests it is ready to be worn. So that you stand strong, walk confidently and are safe in all conditions.

Now Mammoet and Bata Industrials are combining their knowledge and skills. The result: a new shoe collection that meets the highest safety requirements for safety shoes. The new Mammoet Footwear collection brings together the best of both worlds.







With the SportMates® Collection we set new standards in safety, breathability and design.
Thanks to its sporty style and light weight,
SportMates® are the perfect solution for every active professional. The SRC certified rubber outsole is equipped with our Tunnelsystem®: an ingenious system we developed with Prof. Dr. W. Baumann, an established professor of biomechanics.

This built-in shock absorber helps prevent fatigue, loss of concentration and accidents. A soft cushioning EVA midsole provides excellent comfort and high shock absorption. The midsole is combined with a latex foam inlay sole and a lightweight upper made of breathable materials. These unique features ensure optimal climate and comfort in the shoe, all day long.

DRIVEN S1P

- > Microfiber/mesh/PU non-stitching upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole
- > Width W > Size range: 35-48
- > Uk size range: 2-13 (including 6.5 and 9.5)







"Ultimate protection in a sporty style."

VIVID S1P

- > Microfiber/mesh/PU non-stitching upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole
- > Width W > Size range: 35-48
- > Uk size range: 2-13 (including 6.5 and 9.5)







FIRM S3

- > Microfiber/mesh/PU non-stitching upper
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Mesh lining
- > EVA/rubber sole
- > Width W
- Size range: 35-48Uk size range: 2-13 (including 6.5 and 9.5)







- > Microfiber/mesh/PU non-stitching upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Mesh lining
- > EVA/rubber sole
- > Width W
- > Size range: 35-48
- > Uk size range: 2-13 (including 6.5 and 9.5)











FALCON ESD S1

- Suede leather upperSteel toecap
- > Velcro closure
- Mesh lining

> Width W

- > Dual density PU-sole
- > Size range: 35-49
- > Uk size range: 2-14 (including 6.5 and 9.5)





INTREPID S3

- > Action Leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- Steel toecapMesh lining
- Mesii iiiiiig
- > Dual density PU-sole
- > Size range: 35-49
- > Uk size range: 2-14 (including 6.5 and 9.5)











"This ultralight shoe offers unprecedented comfort and safety for this price in its category."

SHEPARD S3

- > Action Leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- Steel toecap
- > Mesh lining
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > Uk size range: 2-14 (including 6.5 and 9.5)











HELSINKI 3 ESD S1P

- > Microfiber/textile upper
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Velcro closure
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 36-49
- > UK size range: 3-14 (including 6.5 and 9.5)















LEGEND ESD S1P

- > Textile/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Boa® closure system
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)

















TURN ESD S1P

- > Textile/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)















- > Textile/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)















ENGINE ESD S3

- > Full grain leather upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)













GEAR ESD S3

- > Full grain leather upper
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)













GOAL ESD S3

- > Microfiber/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)





















RAFT ESD S3

- > Textile/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)

















SCORE ESD S3

- > Microfiber/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)

















SHIFT ESD S3

- > Full grain leather upper
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)

















SURF ESD S3

- > Textile/leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort® -lining
- > Odor Control > HDry® waterproof membrane
- > Dual density PU-sole
- > Widths W-XW > Size range: W 36-49 / XW 38-48 > UK size range: W 3-14 / XW 5-13















TURBO ESD S3

- > Full grain leather/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Thermoplastic toecap
- > Bata Cool Comfort®-lining
- > Dual density PU-sole > Widths W-XW
- > Size range: W 36-49 / XW 38-48
- > UK size range: W 3-14 / XW 5-13 (including 6.5 and 9.5)















MALKLINE® EVO

Walkline® is an ergonomic system that Bata Industrials has developed together with biomechanical researcher Terje Haugaa. Haugaa found that more than 30% of people who wear safety shoes have one or more health-related foot problems. Reason; many safety shoes are designed with a 'banana' shape that forces the foot into an unnatural position. To solve this problem, Bata Industrials and Terje Haugaa developed Walkline® years ago.

Many years of further research and development led to the latest Walkline® technology: Walkline® Evo. This technology offers durable comfort, excellent grip and outstanding shock absorption. The natural last provides the perfect fitting for the foot, with the heel lock securing the heel of the foot. Flexlines provide maximum flexibility needed in dynamic work environments and offer a natural support in every step. As a result you become less tired and walk more energetically.

WALKLINE®
TECHNOLOGY INSIDE

FLOOR

TECHNOLOGY INSIDE

FLOOR

TECHNOLOGY INSIDE

TECHNOLO

ERGONOMIC

Walkline® Evo is ergonomic, based on applied science to maximize productivity of the foot motion by reducing fatigue and creating great comfort. Walkline® Evo guides and supports the foot to make natural movements and to use the momentum of the motion. The integrated, high-technology shank provides stability at the midfoot. Walkline® Evo helps you to stand and walk in a correct anatomical position.

2

DURABLE COMFORT

When you walk all day in your safety shoes, comfort has to be a top priority. Walkline® Evo offers durable comfort, supporting the foot movement in a healthy way. As an addition to the Walkline® Evo system, we integrated an extra thick inlay sole that stimulates natural foot movement and provides an extraordinary cushioning effect.



3

FLEXLINES

Walkline® Evo incorporates smart flexlines that follow the foot's natural flex zones, offering maximum support, grip and flexibility.





NATURAL LAST

Walkline® Evo offers perfect fitting by following the shape of the foot. Conventional shoe lasts force the foot into an unnatural banana shape, which can create anatomical problems. Walkline® Evo has a straight last, designed to fit the contour of the foot, keeping the foot in a secure position.



5

GRIP

Optimal grip is essential in all work environments. Slipping and falling account for many accidents on the work floor, which is easily avoided by wearing the right safety footwear. Walkline® Evo features anti-slip soles, which provide outstanding grip. We have added additional Flex Grip solutions in the design of our outsole for extra anti-slip purposes.



6

HEEL LOCK

Our heel lock makes sure the foot stays in the right position, locking it to support the natural foot motion.






SHOCK ABSORPTION

Walkline® Evo makes light work of hard surfaces. The Tunnelsystem® helps manage impact, providing energy return and cushioning. Our intelligent combination of midsole, outsole, inlay sole and in some cases shank can absorb shocks. This technology helps reduce impact to the joints, which reduces injuries and fatigue.





More than twenty years ago, we developed the Traxx Collection in accordance with all legal, health and safety requirements. Now the models are equipped with the latest technologies and are still amongst our bestsellers. With a steel toecap, SRC certified outsole, high-quality inlay sole and penetration resistant insert made of steel or

FlexGuard® composite, the Traxx models set the new standard for safety shoes. Some models are water-repellent or even waterproof thanks to the HDry® membrane. And some shoes are equipped with an abrasion resistant TPU toecap to provide extra protection. The Traxx Collection is specially designed to give your feet the best comfort. All day long.

TRAXX 23 S1P

- > Nubuck leather/textile upper/ reflective material
- > Steel penetration resistant insert
- > Steel toecap
- > Rata VentAir®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)







- > Nubuck leather/textile upper/ reflective material
- > Steel penetration resistant insert
- > Steel toecap
- > Bata VentAir®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)





TRAXX 213 S1P

- > Nubuck leather/textile upper/
- abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Boa® closure system
- > Bata Cool Comfort®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)











BOA

TRAXX 91 S2

- > Nubuck leather upper
- > Steel toecap
- > Bata VentAir®-lining > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)





TRAXX 92 S2

- > Nubuck leather upper
- > Steel toecap
- > Bata VentAir®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)





- > Nubuck leather upper
- > Steel penetration resistant insert
- > Steel toecap
- > Bata VentAir®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 39-48
- > UK size range: 6-13 (including 6.5 and 9.5)







- > Nubuck leather/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













- > Nubuck leather/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













- > Nubuck leather upper/abrasion resistant TPU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)











TRAXX 204 S3

- > Nubuck leather upper/abrasion resistant TPU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)











TRAXX 218 S3

- > Full grain Crazy Horse leather/Nappa leather upper/ abrasion resistant TPU toecap
- $\qquad \qquad \text{`FlexGuard} \\ \text{`emposite penetration resistant insert} \\$
- > Steel toecap
- > Boa® closure system
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > QuattroTech®-TPU-sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













HDry

TRAXX 219 S3

- > Full grain Crazy Horse leather/Nappa leather/ abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Boa® closure system
- > Bata Cool Comfort®-lining
- > Odor Control > HDry® waterproof membrane
- > QuattroTech®-TPU-sole > Width W
- > Size range: 36-48





> UK size range: 3-13 (including 6.5 and 9.5)











ENDURO ACT COLLECTION

Seriously safe. Seriously supportive.

Comfort and support are the key words for our Enduro ACT Collection.

These shoes include the Walkline® 2.0 technology and many comfort

features that reduce fatigue and keep you energized. The PU outsole

is SRC certified. Purpose-made for general use, ACT offers lightweight,

technology and quality materials such as microfiber. This importantly

comfortable and sporty designs. The white collection encompasses

assists in maintaining the right level of hygiene in sectors like the

food industry.

ACT124 ESD S1

- > Nubuck leather/nylon mesh upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW-XXW
- > Size range: W 38-49 / XW 38-49 / XXW 40-46
- > UK size range: W 5-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)







ACT143 ESD S1

- > Nubuck leather/nylon mesh upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > UK size range: 2-14 (including 6.5 and 9.5)









ACT151 S1P

- > Microfiber upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecan
- > Velcro closure
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > UK size range: 2-14 (including 6.5 and 9.5)













ACT152 ESD S1P

- > Microfiber upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > UK size range: 2-14 (including 6.5 and 9.5)













ACT153 ESD S1P

- > Microfiber upper/abrasion resistant PU toecap > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > UK size range: 2-14 (including 6.5 and 9.5)
















ACT107 ESD S2

- > Nubuck leather upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control > Dual density PU-sole
- > Width W
- > Size range: 35-49 > UK size range: 2-14 (including 6.5 and 9.5)







ACT127 ESD S2

- > Nubuck leather upper
- > Steel toecap
- > Bata Cool Comfort®-lining > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49 > UK size range: 2-14 (including 6.5 and 9.5)











- > Nubuck leather upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49
- > UK size range: 2-14 (including 6.5 and 9.5)







ACT113 S2 + ACT116 ESD S3

- > Full grain leather upper
- > Steel penetration resistant insert (ACT116 ESD)
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths ACT113: W
- > Widths ACT116: W-XW
- > Size range ACT113: 35-49 > Size range ACT116: W 35-49 / XW 38-49
- > UK size range ACT113: 2-14 (including 6.5 and 9.5)
- > UK size range ACT116: W 2-14 / XW 5-14 (including 6.5 and 9.5)























> Steel penetration resistant insert (ACT120 ESD)

ACT117 S2 + ACT120 ESD S3

- > Full grain leather upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control > Dual density PU-sole
- > Widths ACT117: W
- > Widths ACT120: W-XW
- > Size range ACT117: 35-49
- > Size range ACT120: W 35-49 / XW 38-49
- > UK size range ACT117: 2-14 (including 6.5 and 9.5)
- > UK size range ACT120: W 2-14 / XW 5-14 (including 6.5 and 9.5)













"The innovative Walkline® system supports the foot in its natural position."

ACT112 ESD S3

- > Nubuck leather upper
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Width W
- > Size range: 35-49 > UK size range: 2-14 (including 6.5 and 9.5)














ACT115 S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- Steel toecap
- > Bata Cool Comfort®-lining > Odor Control

(including 6.5 and 9.5)

- > Dual density PU-sole > Widths W-XW-XXW
- > Size range: W 35-49 / XW 38-49 / XXW 40-46 > UK size range: W 2-14 / XW 5-14 / XXW 6.5-11













ACT119 S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecan
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW-XXW
- > Size range: W 35-49 / XW 38-49 / XXW 40-46
- > UK size range: W 2-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)











- > Nubuck leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW-XXW
- > Size range: W 35-49 / XW 38-49 / XXW 40-46
- > UK size range: W 2-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)













- > Nubuck leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert

ACT142 ESD S3

- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW-XXW
- > Size range: W 35-49 / XW 38-49 / XXW 40-46
- > UK size range: W 2-14 / XW 5-14 / XXW 6.5-11 (including 6.5 and 9.5)











ACT144 ESD S3

- > Full grain leather upper
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Leather lining
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 37-49 / XW 38-49
- > UK size range: W 4-14 / XW 5-14 (including 6.5 and 9.5)



34 | Bata industrials











- > Microfiber upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecan
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole
- > Widths W-XW
- > Size range: W 35-48 / XW 38-48
- > UK size range: W 2-13 / XW 5-13 (including 6.5 and 9.5)















ACT157 ESD S3

- > Microfiber upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > Dual density PU-sole > Width W
- > Size range: 35-48 > UK size range: 2-13 (including 6.5 and 9.5)















- > Microfiber upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control > Dual density PU-sole
- > Width W
- > Size range: 35-48
- > UK size range: 2-13 (including 6.5 and 9.5)















ODOR CONTROL IS THE ANSWER TO THE PROBLEM OF SHOES THAT SMELL BAD

Odor Control is a total solution that attacks and controls 99.9% of bacteria attracted to sweaty feet.



WHERE DOES THE SMELL COME FROM?


When feet sweat, they release moisture from the 250,000 sweat glands on each foot. Bacteria are attracted to this moisture, which they consume and then excrete as waste gases with an unpleasant and penetrating odor.


WHAT IS ODOR CONTROL?

Bata Industrials has worked together with scientists to develop a solution that not only eliminates odor, but is also completely ecofriendly. Whereas other methods leave a large environmental footprint, Odor Control is free of synthetic chemicals. It is based on a completely natural plant extract, derived from peppermint. Odor Control has the innate ability to control 99.9% of bacteria and even maintains its effect at temperatures of up to 240°C. This makes your feet feel fresh all day long.

TESTED TO THE HIGHEST STANDARD

Odor Control delivers excellent antimicrobial efficiency in AATCC 100 testing, as conducted by an independent laboratory. Tested and approved according to the strictest standards in the world for antibacterial finishes on textile materials, Odor Control is used not just in the sock liner of safety shoes, but in all areas surrounding the foot.





PWR308 S3

- > Full grain leather upper
- > Steel penetration resistant insert
- Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > TriTech Plus®-rubber-sole
- > Widths W-XW
- > Size range: W 38-48 / XW 38-48
- > UK size range: W 5-13 / XW 5-13 (including 6.5 and 9.5)













- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > TriTech Plus®-rubber-sole
- > Widths W-XW-XXW
- > Size range: W 38-48 / XW 38-48 / XXW 40-46
- > UK size range: W 5-13 / XW 5-13 / XXW 6.5-11 (including 6.5 and 9.5)













PWR311 S3

- > Full grain leather upper
- Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > TriTech Plus®-rubber-sole
- > Widths W-XW
- > Size range: W 38-48 / XW 38-48
- UK size range: W 5-13 / XW 5-13 (including 6.5 and 9.5)











PWR312 S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- $\textbf{>} \ \mathsf{TriTech} \ \mathsf{Plus}^{\text{@}} \mathsf{-rubber} \mathsf{-sole}$
- > Widths W-XW-XXW
- > Size range: W 38-48 / XW 38-48 / XXW 40-46
- > UK size range: W 5-13 / XW 5-13 / XXW 6.5-11 (including 6.5 and 9.5)















PWR318 S3

- > Nubuck leather/textile upper/ abrasion resistant PU toecap
- > Steel penetration resistant insert
- Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > TriTech Plus®-rubber-sole
- > Widths W-XW
- > Size range: W 38-48 / XW 38-48 > UK size range: W 5-13 / XW 5-13











"Solid safety shoes that deal with rough grounds such as gritty, concrete and muddy surfaces."

PWR319 S3

- > Full grain leather/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > HDry® waterproof membrane
- > TriTech Plus®-rubber-sole
- > Widths W-XW
- > Size range: W 38-48 / XW 38-48
- > UK size range: W 5-13 / XW 5-13 (including 6.5 and 9.5)











PWR328 S3

- > Full grain leather/abrasion resistant PU toecap
- > Quick release closure
- > Steel penetration resistant insert
- > Steel toecap > Leather lining
- > TriTech Plus®-rubber-sole
- > Widths W-XW
- > Size range: W 38-48 / XW 38-48 > UK size range: W 5-13 / XW 5-13 (including 6.5 and 9.5)
- > EN20349-2:2017 (Welding)













Without gaps between the impenetrable waterproof membrane and the fabric underneath, water cannot get trapped in-between these layers. Because of this, there is no chance of water leaking through the fabric after long exposures to rain. A very important feature is that breathability is not affected.



LONGREACH BLACK BOA S3

- > Full grain leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Boa® closure system
- > Bata Cool Comfort®-/Thinsulate-lining
- > PU/rubber sole
- > Width XW
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)











LONGREACH BLACK ZIP S3

- > Full grain leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Dirt proof zipper
- > Bata Cool Comfort®-/Thinsulate-lining
- > PU/rubber sole
- > Width XW
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)









LONGREACH WHEAT ZIP S3

- > Nubuck leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Dirt proof zipper
- > Bata Cool Comfort®-/Thinsulate-lining
- > PU/rubber sole
- > Width XW
- > Size range: 38-48 > UK size range: 5-13 (including 6.5 and 9.5)







RANGER WHEAT BOA S3

- > Nubuck leather upper/abrasion resistant TPU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Boa® closure system
- > Bata Cool Comfort®-/Thinsulate-lining
- > PU/rubber sole
- > Width XW
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)




















BOA



LONGREACH BOA

Engineered to provide the highest level of comfort in the toughest of working conditions.



BOA

Boa® Fit System

The Boa® Fit System makes shoe laces obsolete. The High Performance Fit System is quickly adjustable and guarantees a lifetime of carefree work days without laces untangling.




3M Scotchgard Protector

Built in leather protection that is designed to leave water and oil on the surface, which makes it easy to wipe dirt away. This will extend the life of your new favorite shoes.



Detection & airport friendly

This shoe is made with composite safety components certified to the highest safety standards. Making it ideal for travelling through metal detection portals and airport security.



CRYPTO ESD S1P

- > Microfiber upper
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole
- > Widths W-XW
- > Size range: W 36-48 / XW 38-48
- > UK size range: W 3-13 / XW 5-13 (including 6.5 and 9.5)











"Nova safety shoes will leave you with the right amount of energy."

LOGIK ESD S1P

- > Textile/TPU upper
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
 - > Bata Cool Comfort®-lining
 - > Odor Control
 - > QuattroTech®-TPU-sole
 - > Widths W-XW
 - > Size range: W 36-48 / XW 38-48
 - > UK size range: W 3-13 / XW 5-13 (including 6.5 and 9.5)









SYNC ESD S1P

- > Microfiber upper
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining > Odor Control
- > QuattroTech®-TPU-sole
- > Widths W-XW
- > Size range: W 36-48 / XW 38-48 > UK size range: W 3-13 / XW 5-13





(including 6.5 and 9.5)





ZIP ESD S1P

- > Textile/TPU upper
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole
- > Widths W-XW
- > Size range: W 36-48 / XW 38-48
- > UK size range: W 3-13 / XW 5-13 (including 6.5 and 9.5)













- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole
- > Widths W-XW
- > Size range: W 36-48 / XW 38-48
- > UK size range: W 3-13 / XW 5-13 (including 6.5 and 9.5)















TRONIC ESD S3

- > Full grain leather upper/abrasion resistant PU toecap
- > FlexGuard® composite penetration resistant insert
- > Steel toecap
- > Boa® closure system
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole
- > Widths W-XW
- > Size range: W 36-48 / XW 38-48
- > UK size range: W 3-13 / XW 5-13 (including 6.5 and 9.5)

















BOA

VECTOR ESD S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Odor Control
- > QuattroTech®-TPU-sole > Widths W-XW
- > Size range: W 36-48 / XW 38-48 > UK size range: W 3-13 / XW 5-13
- (including 6.5 and 9.5)



















CLASSICS COLLECTION

Seriously safe. Seriously proven.

These are the classics of Bata Industrials. Shoes that we're proud of. They have built a solid reputation and still prove their quality year after year.

RIGA S1

- > Suede upper
- Steel toecapVelcro closure
- > Mesh lining
- > Dual density PU-sole
- > Width XW
- > Size range: 35-48
 > UK size range: 2-13 (including 6.5 and 9.5)





SAXA ESD S2

- > Nubuck leather/nylon mesh upper
- > Steel toecap
- > Bata Cool Comfort®-lining
- > Dual density PU-sole
- > Widths W-XW
- > Mondopoint size range: 232-315
- > Size range: W 37-48 / XW 37-48
- > UK size range: W 4-13 / XW 4-13 (including 6.5 and 9.5)









NORFOLK S3

- > Full grain leather upper
- > Steel penetration resistant insert
- > Steel toecap
- > Mesh lining
- > Dual density PU-sole
- > Width XW
- > Size range: 35-48
- > UK size range: 2-13 (including 6.5 and 9.5)





"Safety footwear that still proves its quality year after year."

STANFORD ESD S3

- > Full grain leather upper
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Leather lining
- > Dual density PU-sole
- > Width W
- > Size range: 40-48
- > UK size range: 6.5-13 (including 9.5)











STOCKHOLM S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Mesh lining
- > Dual density PU-sole
- > Width XW
- > Size range: 37-48
- > UK size range: 4-13 (including 6.5 and 9.5)



















CURVE S1P

- > Microfiber upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Nylon mesh-lining
- > EVA/rubber sole
- > Width W
- > Size range: 34-42
- > UK size range: 1-8 (including 6.5)













BRIGHT 020 S1P

- > Microfiber/mesh upper
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Nylon mesh-lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > UK size range: 2-12 (including 6.5 and 9.5)









"The robust Vibram® outsole is known for its superior quality and performance in terms of SRC slip resistance."

BRIGHT 021 S1P

- > Microfiber/mesh upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Nylon mesh-lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 35-47
- > UK size range: 2-12 (including 6.5 and 9.5)









BRIGHT 031 S1P

- > Microfiber/mesh upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Nylon mesh-lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 34-47
- > UK size range: 1-12 (including 6.5 and 9.5)









BRIGHT 041 S1P

- > Microfiber/mesh upper
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Boa® closure system
- > Nvlon mesh-lining
- > EVA/rubber sole (Vibram®)
- > Width W
- > Size range: 34-47
- > UK size range: 1-12 (including 6.5 and 9.5)













BICKZ 736 ESD S1P

- > Nubuck leather upper
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)









"The perfect combination of functionality, safety and design."

BICKZ ACTIVE S3

- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Bickz Cool System®-lining
- > PU/rubber sole
- > Width W > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)











- > Full grain leather upper/abrasion resistant PU toecap
- > Steel penetration resistant insert > Steel toecap
- > Bickz Cool System®-lining
- > PU/rubber sole
- > Width W
- > Size range: 38-48 > UK size range: 5-13 (including 6.5 and 9.5)









BICKZ 201 S3

- > Nubuck leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert > Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)













BICKZ 202 S3

- > Nubuck leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)









BICKZ 203 S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)







BICKZ 204 S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- → Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)









- > Full grain leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Boa® closure system
- → Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)

















FRIENDLY

BICKZ 728 ESD S3

- > Nubuck leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













BICKZ 731 ESD S3

- > Nubuck leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













BICKZ 732 ESD S3

- > Leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- > Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole > Width W
- > Size range: 36-48
- > UK size range: 3-13 (including 6.5 and 9.5)













BICKZ 733 ESD S3

- > Nubuck leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert
- Composite toecap
- > Bickz Cool System®-lining
- > EVA/rubber sole
- > Width W
- > Size range: 36-48 > UK size range: 3-13 (including 6.5 and 9.5)













BICKZ 907 S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > FlexGuard® composite penetration resistant insert > Composite toecap
- > Dirt proof zipper
- > Bickz Cool System®-lining
- > EVA/rubber sole > Width W
- > Size range: 38-48
- > UK size range: 5-13 (including 6.5 and 9.5)











HERO COLLECTION

Seriously safe. Seriously tough.

Our boots have been developed to deal with even the toughest demands and to meet the highest level of performance. They combine outstanding comfort for the longest working days with premium protection. The nitrile rubber SRA certified outsoles

are heat, oil and acid resistant. Goliath, Potent and Robust have a fur lining for perfectly warm feet in cold working conditions. The waterproof HDry® membrane makes Colossus and Defender the perfect choice for wet circumstances.

COLOSSUS S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Pull-up straps
- > Bata Cool Comfort®-lining
- > HDry® waterproof membrane
- > PU/rubber sole
- > Width XW
- > Size range: 39-49
- > UK size range: 6-14 (including 6.5 and 9.5)







DEFENDER S3

- > Full grain leather upper
- > Steel penetration resistant insert
- > Steel toecap
- > Pull-up straps
- > Bata Cool Comfort®-lining
- > HDry® waterproof membrane
- > PU/rubber sole
- > Width XW
- > Size range: 39-49
- > UK size range: 6-14 (including 6.5 and 9.5)
- > EN20349-2:2017 (Welding)









HDry

GOLIATH S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Pull-up straps
- > Fur lining
- > PU/rubber sole
- > Width XW
- > Size range: 39-49
- > UK size range: 6-14 (including 6.5 and 9.5)









POTENT S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > Steel penetration resistant insert
- > Steel toecap
- > Dirt proof zipper
- > Fur lining > Width XW
- > PU/rubber sole
- > Size range: 39-49
- > UK size range: 6-14 (including 6.5 and 9.5)







ROBUST S3

- > Full grain leather upper/abrasion resistant rubber toecap
- > Steel penetration resistant insert
- Steel toecap
- > Pull-up straps
- > Fur lining
- > PU/rubber sole
- > Width XW > Size range: 39-49
- > UK size range: 6-14 (including 6.5 and 9.5)















Seriously safe. Seriously durable.

Workmaster II are S5 certified safety boots, including steel toecaps, steel penetration resistant inserts and SRA certified PVC soles. They also feature reinforcement at the heel, ankle and shin. Our gumboots are made of PVC that is formulated to meet the correct application across a wide range of industries. Workmaster II gumboots are the best choice when you're looking for high performance, premium quality and lasting durability.

WORKMASTER II - BLACK S5

- > Steel penetration resistant insert
- > Steel toecap
- > Polyester lining
- > PVC sole
- > Width W > Size range: 38-47
- > UK size range: 5-12 (including 6.5 and 9.5)









FIND YOUR SHOE

AND AND COLLECTION FIRST 19	SHOE	PAGE		SAFE	TY CATEGOR'		SOLE	ТҮРЕ		UP	PER MAT	ERIAL	FEATU	RES	INDUSTRIES
ADMINISTRATES ADMINISTRATE ADM			S1 (•			(1)						
Fig. 12	RADIANCE COL	LECTION				sole	sole sole	pultpu sole	sole	taxtile upper	upper (leaf	ugper pvc material	field defaction friendly	materproof	
Find SS 9	Fit ESD			•			•	•		•			•		(2) (2) (2) (3) (4) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5
Second S	Spark ESD	9		•				•		•			•		Constitution (Section Constitution Constitut
19 15 15 15 15 15 15 15	Vim ESD	9		•				•		•			•		(S)
AMMOST COLLECTION And or 133	Energy ESD	9			•		•	•		•			•		
naction 13	Jp ESD	9			•			•		•			•		
13	IAMMOET COL	LECTION													
Section 13	nchor	13			•		•					•		•	grinhar Controlled Con
## STATE ST	arge	13			•		•					•	•	•	(Fundamental Control C
FORMATISS' COLLECTION Infiver 17	Solster	13			•		•					•		•	gradus Control
Information 17	Vinch	13			•		•					•		•	
Wild 17			ON												
Image 17										•					
ACLE COLLECTION Alcon ESD 18				•			•			•	•		•		estimatic addition selling
Actic COLLECTION alcon ESD	Firm	17			•		•	•		•	•		•		
A	ron				•		•	•		•	•		•		grindus Controlles Checkers Checkers Checkers
Intrepid 18			•			•						•			(C) (State States) (States (States) (States (States (States) (States (States) (States (States (States) (States (Sta
Part												•			
Part												•			Saturation (Statements) (Statements) (Saturation)
Petrinki ESD 21						•									
viring ESD 21 • <t< td=""><td>Helsinki ESD</td><td></td><td></td><td>•</td><td></td><td>•</td><td></td><td></td><td></td><td>•</td><td>•</td><td></td><td>•</td><td></td><td>(A) (A) (A) (A) (A) (A) (A) (A) (A) (A)</td></t<>	Helsinki ESD			•		•				•	•		•		(A)
Wing ESD 21 ●	egend ESD	21		•		•				•			•		(2) (2) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
Ingine ESD 22	urn ESD	21		•		•				•			•		Calculated (Signature) (Sig
Sear ESD 22	Ving ESD	21		•		•				•			•		(Co) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S
Signal ESD 22	ingine ESD	22			•	•						•	•		Contraction Contra
Table 15D 22	iear ESD	22			•	•						•	•		(A) (M) (M) (M) (M) (M) (M) (M) (M) (M) (M
Core ESD 23	ioal ESD	22			•	•					•		•		(2)/2 (2)/2
hift ESD 23 • • • • • • • • • • • • • • • • • •	aft ESD	22			•	•				•			•	•	(2)/2 (2)/2
hift ESD 23 • • • • • • • • • • • • • • • • • •	Score ESD	23			•	•					•		•		
urf ESD 23	hift ESD				•	•						•	•		
urbo ESD 23	Surf ESD					•				•			•	•	
FRAXX COLLECTION FRAXX 23 27 •					•	•						•	•		
Fraxx 24 27 • • • • • • • • • • • • • • • • • •															The second secon
raxx 213 27 • • • • • • • • • • • • • • • • • •	raxx 23	27		•				•		•		•			(S) (N) (N) (N) (N) (N) (N) (N) (N) (N) (N
raxx 91 27 • • • • • • • • • • • • • • • • • •	raxx 24	27		•				•		•		•			CONSTRUCTION (No. 1) (Marketonia) (Marketoni
raxx 92 28 • • • <u>• • • • • • • • • • • • • • • •</u>	raxx 213	27		•				•		•		•			
	raxx 91	27			•			•				•			activation (Constitution (Constitu
	raxx 92	28			•			•				•			Constants (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
	raxx 95	28						•				•			(A)

FIND YOUR SHOE

SHOE	PAGE		SAFE	TY CATEG	ORY		SOLE	ТҮРЕ		UPPER	MATERIAL	FEA	ATURES	INDUSTRIES	
		S1	S1P	52	S3	S5 pulya sole	pulruhber sole	tubber putpu sole	O C SOIT	textile upper	leatherisuede upper	gxc full metal fire	detaction friendly		
Traxx NXT 96	28				•			•			•			(Schweidung) (Schweidung) (Schweidung)	Topogram a ligation
Traxx NXT 97	28				•			•			•			(Columbia) (Columbia) (Columbia)	The second of th
Traxx 203	29				•			•			•			astronomy (marketing) (marketing) (marketing) (marketing)	
Traxx 204	29										•			industry (anistraction) (b) (c) (c) (c) (c) (c) (c) (c	Inputs Interport & Interpor
Traxx 218	29										•				
														CAMPANN (SUPPLIES) (SUPPLIES) (SUPPLIES)	
Traxx 219 ENDURO ACT CO	29 1115010)N			•			•			•		•	Caracitan (Caracitan) (Caracit	Toleraper in legistics
ACT124 ESD	31	•				•				•	•			(C) (Startistation (C) (Startist	Topograf & ligition
ACT143 ESD	31	•				•				•	•			(2)/2 (Xia) (Million) (Mil	
ACT151 ESD	31		•			•				•				(2)/2 (Xia) (1)/2	\sim
ACT152 ESD	31		•			•				•				(C)/2 (P)	
ACT153 ESD	31		•			•				•				(Constitution (C	\sim
ACT107 ESD	32			•		•					•			Caracter Construction Cons	\sim
ACT127 ESD	32			•		•					•			(Silveristation) (Silveristation) (Silveristation) (Silveristation)	\sim
ACT128 ESD	32			•		•					•			anternetive Construction CO/L	
ACT113	32			•		•					•			astronofor (20/2) (1991)	Targent & highlis
ACT117	33			•		•					•			attraction (Charlette Charlette Char	<u> </u>
ACT116 ESD	32				•	•					•			(Shirestatic) (Shirestatic) (Shirestatic)	No.
ACT120 ESD	33				•	•					•			Construction Colesion (1985)	Negeri a
ACT112 ESD	33				•	•					•			Columbiation Columbiation (1997)	The second of th
ACT115	33				•	•					•			(Schweiselberg) (Schweiselberg) (Mary 1987)	The second and the se
ACT119	34				•	•					•			Construction Colorestation (Scherolastic)) (New York of the Control of the Co
ACT141 ESD	34				•	•					•			Construction Cylin (Schweitzeit) (Marry 1947)	I STATE OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRES
ACT142 ESD	34				•	•					•			(2)/Lite (State (State)) (2)/Lite (State (State)) (3)/Lite (State (State)) (4)/Lite (State) (4)/Lite (5)/Lite (5)/Lit	I Suppose A
ACT144 ESD	34				•	•					•			cannoting Columnitation Column	The state of the s
ACT156 ESD	35				•	•				•				Construction Const	The second and the se
ACT157 ESD	35				•	•				•				Constitution (Constitution Constitution Cons	l Comment in the second in the
ACT158 ESD	35				•	•				•				Constitute	
ENDURO PWR (ON													nl_
PWR308	37				•		•				•				
PWR309	37				•		•				•				\sim
PWR311	37				•		•				•				\sim
PWR312	37				•		•				•			() () () () () () () () () ()	_
PWR318 0	38				•		•			•	•		•		
PWR319 0	38				•		•				•		•		
PWR328 HELIX COLLECTION	38 ON				•		•				•			aging pan (2) (2) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	Tolkenger in highlich
Longreach Black Boa	41				•		•				•		•	Tagica Jan (construction (Carly Constitution (Turning and a laption
Longreach Black Zip	41				•		•				•	•		agrication (Cartinos) (Cartinos) (Cartinos)	tiperior is
Longreach Wheat Zip	41				•		•				•	•		agriculture Construction Construction Construction Construction	l magazi a
Ranger Wheat Boa	41				•		•				•			egration (Chestistee) (Heaveston)	I Property a

FIND YOUR SHOE

SHOE	PAGE	SAFETY CAT	EGORY		SOLE TYPE	ι	IPPER MATERIAL	FEATURES	INDUSTRIES
	(1	\$1 \$1P \$2	S3 (S5	guipu sok	er evalrubber pultpu	pre see	microfiber leather/speeds protection	Malia (state of the control of the c	
NOVA COLLECTION				108 246	2016 2016	sate upper	upper upper made	incut tree	
Crypto ESD	45	•			•		•		STATE OF THE PARTY
ogik ESD	45	•			•	•			
iync ESD	45	•			•		•		(2) (2) (3) (4) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6
ip ESD	46	•			•	•			
Radar ESD	46		•		•		•		
ronic ESD	46		•		•		•		
ector ESD	46		•		•		•		
CLASSICS COLLE	CTION								
Riga	49	•		•			•		
axa ESD	49	•		•		•	•		
lorfolk	50		•	•			•		
tanford ESD	50		•	•			•	•	
Stockholm	50		•	•			•		
CITY COLLECTIO									(2) (2) (2) (2) (2) (2) (2) (2) (2) (2)
Curve BRIGHT COLLEC	51 TION	•			•	•	•	•	Carestania (Samuel Carestania (S
Bright 020	53	•			•	•	•	•	(2)/2 (No. 1) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Bright 021	53	•			•	•	•	•	The state of the s
Bright 031	53	•			•	•	•	•	Carrent Carren
Bright 041	53	•			•		•	•	(2) (2) (2) (3) (4) (4) (5) (4) (5) (5) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6
BICKZ COLLECTI									halles velleny (
Bickz 736 ESD	55	•			•		•	•	
Bickz Active	55		•	•			•		(a) (a) (a) (b) (a) (a) (b) (a) (a) (a) (a) (a) (a) (a) (a) (a) (a
Bickz Rugged	55		•	•			•		() () () () () () () () () ()
Bickz 201	55		•		•		•		
Bickz 202	56		•		•		•		(2) (2) (2) (2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Bickz 203	56		•		•		•		(2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Bickz 204	56		•		•		•		(Statistics) (Stat
Bickz 305	56		•		•		•	•	(2) (2) (2) (2) (2) (2) (2) (2) (2) (2)
Bickz 728 ESD	57		•		•		•	•	(States) (2/2) (Market) (8/2)
Bickz 731 ESD	57		•		•		•	•	(a) (a) (a) (b) (a) (b) (a) (b) (a) (b) (b) (b) (b) (b) (b) (b) (b) (b) (b
Bickz 732 ESD	57		•		•		•	•	(1) (2/2) (1
Bickz 733 ESD	57		•		•		•	•	✓ ✓ ✓ ✓ ✓ ✓
Bickz 907	57		•		•		•	•	
HERO COLLECTI									
Colossus	59		•	•			•	•	grinhars Cartesian Cartesi
Defender	59		•	•			•	•	
Goliath	60		•	•			•		gradus (%) (%) (%) (%) (%) (%) (%) (%) (%) (%)
Potent	60		•	•			•		
Robust	60		•	•			•		
VC BOOTS COL	LECTION								

THE SAFETY STANDARD

If a shoe carries a CE-label, this indicates the following: the product meets the requirements of European Regulation 2016/425 regarding personal protective equipment. The CE-standard EN ISO 20345 consists of two parts. The basis label means that a product meets a number of basic requirements. If the product also meets certain additional requirements, this is indicated by a symbol on the shoe.

EXPLANATION OF THE SYMBOLS

- SB Protective footwear for professional use with toecaps designed to give protection against impact when tested at an energy level of 200 joules
- 51 As SB plus antistatic properties, energy absorption of seat region, closed heel and resistance to fuel oil
- **S1P** As S1 plus anti penetration resistant insert
- **S2** As S1 plus water resistance and water absorption of upper material
- S3 As S2 plus anti penetration resistant insert and cleated outsole
- S4 All-rubber or all-polymer footwear, antistatic properties, energy absorption of seat region, protective toecap, closed heel and resistance to fuel oil
- S5 As S4 plus anti penetration resistant insert and cleated outsole

Additional requirements for special applications with specific marks:

P	Penetration resistance	HI	Insulation against heat	HRO	Heat Resistant Outsole
C	Conductive	CI	Insulation against cold	SBH	Hybrid footwear
Α	Antistatic	CR	Cut resistant footwear	ESD	Electrostatic discharge
E	Energy absorption	AN	Ankle protection	SRA/	Slip resistance
I	Insulating footwear	WR	Water resistant footwear	SRB/SRC	
М	Metatarsal protection 100 J	WRU	Water resistant upper		

Metatarsal protection 100 J WRU Water resistant upper impact energy FRU Flame resistant upper

CAREFULLY READ THESE INSTRUCTIONS BEFORE USING THIS PRODUCT: This footwear is designed to minimize the risk of injury from the specific hazards as identified by the marking on the particular product (see marking codes above). However, always remember that no item of PPE can provide full protection and care must always be taken while carrying out the risk-related activity.

PERFORMANCE AND LIMITATIONS OF USE – These products have been tested in accordance with EN ISO 20345:2011 for the types of protection defined on the product by the marking codes explained above. However, always ensure that the footwear is suitable for the intended end use.

FITTING, SIZING – To put on and take off shoes or boots, always fully undo the fastening systems. Only wear footwear of a suitable size. Shoes that are either too loose or too tight will restrict movement and will not provide the optimum level of protection. The shoe size is always clearly marked on our shoes.

COMPATIBILITY – To optimize protection, in some instances it may be necessary to use this footwear with additional PPE such as protective trousers or over gaiters. In this case, before carrying out the risk related activity, consult your supplier to ensure that all your protective products are compatible and suitable for your application.

SOCKS & COMFORT – Wear Bata Industrials socks, change your socks regularly and, in case of perspiration, take alternating hot and cold baths. Use soap sparingly. Change shoes regularly: leather is a natural product and should be allowed to rest.

Check www.bataindustrials.com to contact our shoe advisor or to view all the standards that apply on each of our shoes. Risk analysis is always the responsibility of the prevention advisor. The prevention advisor, in consultation with the hierarchal line, prepares the advice whereby the employer undertakes the necessary actions.



SPECIAL SOCKS

SERIOUSLY. good protection



The special socks in this range are designed to offer protection in specific working environments and conditions. The best fibers, yarns and protective zones are used to guarantee a perfect fit and enhanced comfort to your safety shoes. Leaving your feet safe, supported and protected.

Sizes: 35-38 / 39-42 / 43-46 / 47-50 **UK sizes:** 2-5 / 6-8 / 9-11 / 12-15

FLAME PROOF

A flame-retardant sturdy calf-length sock made from Zirpro virgin wool with meta-aramid fiber. Specially designed for fire crews and welders. Safe and extra comfortable. Complies with safety standards EN ISO 14116:2015.

- > Good protection in extreme heat due to flame-retardant, heat-resistant virgin wool
- > Shrink-proof and therefore easily washable in the washing machine
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Leg and arch support
- > Smooth board
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption

Composition: 44% Zirpro (virgin wool), 30% Kermel® (meta-aramid), 24% polyamide, 2% Lycra® (elastane)

Available in: black



ALL SEASONS SOCKS

SERIOUSLY. good comfort



No matter how cold or warm it is, the natural fibers in Bata's All Seasons socks always feel pleasant. All Seasons socks are available in Merino wool and cotton.

The Merino wool comes from Merino sheep with very fine wool that does not itch. As a result, the Merino wool socks are great in any circumstance. Wool ensures an even temperature of the skin, retains 30% moisture without feeling wet and is naturally elastic, dirt-resistant and anti-bacterial.

Cotton socks are stronger than wool and can be washed at 40° C. Special zones in the sock guarantee a perfect fit and ultimate comfort. Your feet are safe, protected and supported in the right places.

Sizes: 35-38 / 39-42 / 43-46 / 47-50 **UK sizes:** 2-5 / 6-8 / 9-11 / 12-15

ALL SEASONS COTTON

- > Optimal wearing comfort thanks to the anatomically shaped foot sole in the left and right sock
- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Leg, ankle and arch support
- > Smooth board > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption
- > Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 49% cotton, 22% polyamide, 17% Pro-Cool® (polyester), 9% Amicor™ (acrylic),

2% Lycra® (elastane), 1% Bekinox® (metal fiber)





ALL SEASONS MERINO WOOL

- > Optimal wearing comfort thanks to the anatomically shaped foot sole in the left and right sock
- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Leg, ankle and arch support
- > Smooth board > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption
- > Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 45% Merino wool, 26% polyamide, 17% Pro-Cool® (polyester), 9% Amicor™ (acrylic),

2% Lycra® (elastane), 1% Bekinox® (metal fiber) Available in: anthracite

ESD



Flame Proof socks are expected to be available as from October 2020

LOGO SOCKS

SERIOUSLY. remarkable



Professional from head to toe? Then have your company logo knitted into the work socks. Our logo socks are top quality. They are designed for a wide range of working environments. We use the best yarn and produce and personalize the socks in Europe.

* Minimum of 600 pairs per order. Ask our sales team for specific order conditions.

Sizes: 35-38 / 39-42 / 43-46 / 47-50 **UK sizes:** 2-5 / 6-8 / 9-11 / 12-15

EXECUTIVE

The perfect combination of an office and industry sock, made with thin yarns, partly recycled.

- > Lightweight sock with perfect fit, due to more Lycra® elastane
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel and toe
- > Leg and arch support
- > Smooth board
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Moisture management and shock absorption through cotton

Composition: 47% cotton, 26% polyamide,

24% recycled polyester, 3% Lycra® (elastane)

Available in: gray. Logo on foot or leg



INDUSTRY INDOOR

Comfortable sock which gives a cool feeling.

- > Medium weight sock with perfect fit, due to more Lycra® elastane
- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Arch support
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption
- > Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 50% cotton, 20% polyamide,

18% Pro-Cool® (polyester), 9% Amicor™ (acrylic),

2% Lycra® (elastane), 1% Bekinox® (metal fiber) Available in: black. Logo on foot or leg



INDUSTRY OUTDOOR

Comfortable, very strong sock for outdoor use.

- > Medium weight sock with Thermolite® for warmer feet
- > Air flow at foot, moisture management and shock absorption through terry knit in foot
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel and toe
- > Ankle and arch support
- > Comfort seam

Composition: 77% Thermolite® (polyester), 22% polyamide,

1% Lycra® (elastane)

Available in: black. Logo on foot or leg





DISCOVER THE POSSIBILITIES ON OUR WEBSITE: WWW.BATAINDUSTRIALS.COM





THE SAFETY SHOE

OEKO-TEX® calculate to strengt of STANDARD 100 1294020 Certificade Disable for hounder musiculate tests office-forum disable units tests office-forum disable 1111

COOL SOCKS

SERIOUSLY. cool and dry

KEEP YOUR HEAD AND FEET COOL!

Working in a warm environment? Cool socks from Bata Industrials offer your feet a pleasant cooling. All models from this collection contain Pro-Cool®. This fiber leads perspiration from your foot through the sock to the inner lining of the shoe. This keeps your feet nicely cool and dry, which reduces the risk of blistering. The combination with other materials (fibers and yarn) and the addition of various protective zones ensure unique functional and comfort-enhancing properties. The blue line on the side of the sock shows that it is a Cool sock.

Sizes: 35-38 / 39-42 / 43-46 / 47-50 **UK sizes:** 2-5 / 6-8 / 9-11 / 12-15

WHAT'S IN A NAME?

The name of the sock speaks for itself: the Cool socks keep your feet cool, with the Thermo socks they stay nice and warm. There are two letters behind the name. The first letter stands for the volume of the sock: light, medium or heavy. The second refers to the length: short, mid-high or long. This way you can immediately see which sock suits you best.

Thickness/volume length

L = Light S = Short
M = Medium M = Mid-high
H = Heavy L = Long

COOL LS 1

Feet remain pleasantly dry within this comfortable sock with its outstanding moisture-regulating properties.

- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Leg and arch support
- > Reinforced zones around the heel and toe ensure extra durability
- Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 44% cotton, 30% polyamide, 15% Pro-Cool® (polyester), 8% Amicor™ (acrylic), 2% Lycra® (elastane), 1% Bekinox® (metal fiber)

Available in: black



Po oros

COOL LS 2

A stylish, comfortable sock for people who prefer to wear a thin, moisture-regulating sock.

- > Finely knitted, strong sock
- > Extra support prevents feet from becoming tired
- $\boldsymbol{\raisebox{.4ex}{$\scriptstyle\raisebox{.4ex}{}}}}}}}}}}}}}}$
- > Flex Fit ensures a smooth transition from leg to foot
- > Arch support
- > Reinforced zones around the heel and toe ensure extra durability
- Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- $\boldsymbol{\mathsf{>}}$ ESD due to metal fiber

Composition: 39% Pro-Cool® (polyester), 39% polyamide, 20% cotton, 1% Lycra® (elastane), 1% Bekinox® (metal fiber) Available in: black

anable III; Diack





COOL MS 1

This moisture-regulating sock is one of the best and strongest socks in the collection.

- > Optimal moisture-regulating properties ensure fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Leg, ankle and arch support
- > Comfort seam
- $\boldsymbol{\mathsf{^{>}}}$ Extra protection and comfort due to the terry sole
- Shock absorption
- Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 51% Pro-Cool® (polyester), 27% cotton, 20% polyamide, 1% Lycra® (elastane), 1% Bekinox® (metal fiber) Available in: black





COOL MS 2

The very latest technologies have been incorporated into this strong, moisture-regulating sock.

- > Thanks to optimal ventilation, feet remain cool and dry
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel and toe
- > Leg support
- > Comfort seam
- $\boldsymbol{\mathsf{^{>}}}$ Extra protection and comfort due to the terry sole
- > Shock absorption
- Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 35% cotton, 25% Pro-Cool® (polyester),

24% polyamide, 14% Amicor™ (acrylic), 1% Lycra® (elastane), 1% Bekinox® (metal fiber)

Available in: anthracite, black

ESD



COOL MS 3

A strong, sporty sock with very good moisture-regulating properties. Pro-Cool® draws perspiration from the foot via the outer side of the sock to the interior lining of the shoe.

- Extreme moisture-regulating properties ensure pleasantly dry feet
- Optimal wearing comfort thanks to the anatomically shaped foot sole in the left and right sock
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- $\,$ Leg, ankle and arch support
- $\ensuremath{\:\raisebox{.4ex}{\text{\rule{.5ex}{.4ex}}}}$ Extra protection and comfort due to the terry sole
- > Shock absorption
- Unpleasant odors stand no chance due to antibacterial and moisture-absorbing silver
- > ESD due to silver

Composition: 78% Pro-Cool® (polyester), 19% polyamide, 2% Silver, 1% Lycra® (elastane)

Available in: blue denim with gray





OEKO-TEX® STANDARD 100

THERMO SOCKS

SERIOUSLY. warm and dry

Do you work in cold and damp conditions? Thermo socks from Bata Industrials will keep your feet warm and dry. Most of our Thermo socks have a high percentage of virgin wool. We combine this with other yarns and fibers. Each sock has its own combination and its own sophisticated protective zones. This way each sock, gets unique functional and comfortenhancing properties.

Sizes: 35-38 / 39-42 / 43-46 / 47-50 **UK sizes:** 2-5 / 6-8 / 9-11 / 12-15

THERMO HM 1

A thick, calf-length sock made from Zirpro virgin wool with meta-aramid fiber. Flame-resistant and specially designed for fire crews and welders. Safe and yet comfortable too. Complies with safety standards EN 531.

- > Good protection in extreme heat due to flame-resistant, heat-resistant virgin wool
- > Shrink-proof and therefore easily washable in the washing machine
- > Comfort seam
- > Reinforced zones around the heel and toe ensure extra durability
- > Extra protection and comfort due to the terry sole
- > Shock absorption

Composition: 59% Zirpro (virgin wool), 36% Kermel® (meta-aramid), 4% polyamide,

1% Lycra® (elastane)

Available in: black

THERMO HM 2

A thick, calf-length sock made from virgin wool to keep feet pleasantly warm and dry. Ideal for in boots and high cut shoes. A superb fit, with a specially long band to prevent sagging.

- > The natural action of wool ensures nice dry feet
- > Good support for the leg and front of the foot reduces fatigue
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and shinbone
- > Leg and arch support
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption

Composition: 40% polyamide, 37% shrink-resistant virgin wool, 22% acrylic, 1% Lycra® (elastane)

Available in: black



THERMO MS 1

This comfortable sock is 100% synthetic and the strongest sock in the collection. It is superbly warm and has excellent moisture regulation, ideal for people who have to work in cold conditions like construction workers and road menders.

- > Insulating sock that keeps feet agreeably warm
- > Optimal air circulation for pleasantly fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Ankle and arch support
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- > Shock absorption

Composition: 75% Thermolite (polyester), 24% polyamide,

1% Lycra® (elastane) Available in: black



THERMO MS 3

A warm, woolen ankle sock with superb moisture regulation. Thanks to the combination of virgin wool and Pro-Cool®, feet remain warm and dry in all conditions.

- > Optimal air circulation for pleasantly fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe and Achilles
- > Comfort seam
- > Extra protection and comfort due to the terry sole
- Shock absorption
- > Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber

Composition: 34% shrink-resistant virgin wool, 29% polyamide, 23% Pro-Cool® (polyester), 12% Amicor™ (acrylic), 1% Lycra® (elastane),

1% Bekinox® (metal fiber)

Available in: black



THERMO ML

An agreeably long, warm woolen sock, ideal for people wearing boots. Through the combination of virgin wool and Pro-Cool®, feet remain warm and dry in all conditions. Has many supportive and protective zones, plus an extra-long band to prevent sagging.

- > Optimal wearing comfort thanks to the anatomically shaped foot sole in the left and right sock
- > Optimal air circulation for pleasantly fresh, dry feet
- > Flex Fit ensures a smooth transition from leg to foot
- > Special zones provide protection for heel, toe, ankle, Achilles, shinbone and calf
- > Leg, ankle and arch support
- > Comfort seam
- > Shock absorption
- > Antibacterial fibers keep unpleasant smells at bay and keep feet feeling fit
- > ESD due to metal fiber


Composition: 47% shrink-resistant virgin wool, 27% polyamide, 16% Pro-Cool® (polyester),

8% Amicor™ (acrylic), 1% Lycra® (elastane),

Available in: anthracite

1% Bekinox® (metal fiber)





INLAY SOLES COLLECTION

The right inlay sole makes a safety shoe your safety shoe

Safety is paramount, but comfort and support are just as important. You wear safety shoes every day, so they should fit comfortably. Bata Industrials brings shoes, socks and inlay soles together for the best results because no foot is the same. The right combination ensures optimum comfort, prevents fatigue and ensures that you have energy until the last minute of your working day.

The result: a safer working environment in which fewer accidents occur.

Our top quality inlay soles ensure an even better fit. The smart support zones offer optimum wearing comfort and stability.

Sizes: Premium Fit, Superior Fit & Excellent Fit: 35-37 / 38-40 / 41-43 / 44-46 / 47-49

Medical Fit Heel & Medical Fit Forefoot: 35-36 / 37-38 / 39-40 / 41-42 / 43-44 / 45-46 / 47-49


Widths: suitable for the widths W and XW

	SOLE	TOP LAYER	SHOCK ABSORPTION	SUPPORT
PREMIUM FIT	POLIYOU®	Mesh	••	•
SUPERIOR FIT	POLIYOU®	Mesh	••	••
EXCELLENT FIT	POLIYOU®	Suedetec	••	•••
MEDICAL FIT HEEL	EVA	POLIYOU® +Mesh	•••	0000
MEDICAL FIT FOREFOOT	EVA	POLIYOU® +Mesh	•••	

PREMIUM FIT

SERIOUSLY. Premium comfort


POLIYOU® sole with mesh top layer:
breathable, antibacterial and moisture absorbing.
COOL AND DRY



SUPERIOR FIT


SERIOUSLY. Superior arch support

POLIYOU® sole with mesh top layer: breathable, antibacterial and moisture absorbing COOL AND DRY



EXCELLENT FIT

SERIOUSLY. Excellent forefoot support



MEDICAL FIT HEEL

POLIYOU® sole with mesh top layer:

SERIOUSLY. Medical heel support

moisture absorbing.
COOL AND DRY

Strong arch support.
Relieves the tendons and joints in the arch of the foot.
PREVENTS INJURIES

Heel cushion against tendonitis and heel spur.
RELIEVES HEEL PROBLEMS


EVA sole. Feather-light, flexible and shock-absorbent.

Padded forefoot
HIGH QUALITY SUPPORT

RELIEVES INJURIES AND FATIGUE

MEDICAL FIT FOREFOOT

SERIOUSLY. Medical forefoot support



MORE ENERGETIC

CUSTOMIZED SOLUTIONS WITH BATA ADAPT®

The Bata adapt® step-by-step plan makes it quick and easy to create perfectly fitting and certified safety shoes. Ultimate wearing comfort, also for feet with complaints or medical problems. Always a suitable solution. Because no two feet are the same.

WANT TO KNOW MORE?

Go to www.bataindustrials.com/bata-adapt or call our Customer Service on +31 (0)499 - 362 912







SERIOUSLY.