



SAFETY JOGGER

WORKS

INDUSTRIAL · PROFESSIONAL · TACTICAL



A word from our General Manager,
Wim Vanderschuere.

First of all, I would like to thank you for your interest in the Safety Jogger footwear range.

I must say that, in my family, innovation in footwear has always been the key driver. With a clear focus on quality, comfort and pricing we aim to develop the right shoes for the right people.

To this day, our family-owned company Cortina sells over 32 million pairs of shoes worldwide on a yearly base, with the experience and knowhow of a highly motivated team and an unparalleled supply chain.

I am proud that for Safety Jogger, I can count on the same international organization to offer you a wide range of innovative safety products. As part of the Cortina, all investments come from the company's own capital, making us a very stable and future proof partner.

In today's competitive landscape, we strive to bring noticeable added value in terms of innovative product development, marketing and sales to all our valued customers.

Whether you have bought Safety Jogger, Oxypas or Maxguard before, you are part of our loyal distributor network or you would like to work with us in the near future, I will always be glad to be at your service.

I cannot predict the future, but I am certain it will be a safer one when we shape it together.

Wim Vanderschuere
wim.vanderschuere@safetyjogger.com

1950 - Start of our history in shoe knowledge with the establishment of a small shoe factory in Belgium with the name 'Cortina'.

1981 - Launch of the Cortina Safety footwear collection. As people mostly bought basic joggers to go to work, we felt the need to develop footwear with enhanced protection to help reduce the huge risk of workplace hazards.

1990 - Registration of the brand name Safety Jogger in Benelux. A collection of high protection (safety) athletic footwear (joggers) was born.

2000 - Launch of the brand Safety Jogger in Europe, with own distribution from our warehouse in Belgium.

2007 - Selling the first pair of Safety Jogger footwear in Asia and ready for expanding our worldwide distribution network.

2011 - Development and manufacturing of the Safety Jogger work gloves collection to protect more than only people's feet.

2014 - Launch of Safety Jogger in Russia.

2015 - Safety Jogger goes USA. To ensure our global 'always-in-stock' guarantee, we set up a brand new warehouse in Anaheim, California.

2016 - Investing in innovation and technology. Using a 3D printer with state-of-the-art software to develop faster and according to the highest industry standards.

2017 - Merged with Maxguard. Eight years after the founding of Maxguard, Maxguard opted for a company merge with Cortina NV.

2017 - Traction by Shoes for Crews. Shoes for Crews and Safety Jogger are introducing a new range of safety shoes into the European market in October 2017.

2018 - Launch of the Lightweight & Tactical collection.

2020 - Acquisition of Tiger Grip, specialist and expert in anti-slip shoes and overshoes.



Being Safety Jogger, it took a few years to become the brand that we are today. What started as a small shoe factory in Belgium called 'Cortina' grew into a international business that consists out of many brands, of which Safety Jogger is one of the first brands.

Today Safety Jogger is an international brand of PPE (personal protective equipment), part of Cortina. Being part of Cortina makes Safety Jogger a stable brand. This also gives us the opportunity to grow fast, without loss of quality in the process.

On yearly basis, Safety Jogger is distributed in more than 120 countries of the world. We are able to do so because Safety Jogger can rely on a tremendous team that is highly motivated to give more than 100% to satisfy their customers. Besides that, Safety Jogger can also rely on a flawless supply chain and a live stock management.

With a clear focus on quality, comfort and pricing safety jogger aims to develop the right footwear for its customers.

Vision

At Safety Jogger we believe in enabling our customers in their pursuit of their dreams. Through constant technical state-of-the-art innovation and knowledge, we deliver quality affordable professional footwear with unparalleled technology.

Mission

To make each workplace safer by delivering relevant innovation in professional footwear.

Ambition

Building the best professional footwear company in the world, with unparalleled speed to market, innovation and value creation.

| Become a retailer

Safety Jogger is worldwide and always looking for people who trust our brand as much as we do! We have a team of expert's ready for you to help with questions about our brand, technologies or reselling our products.



Trusted partner & exceptional service

- ✓ Unique **quality/price** ratios
- ✓ **Always-in-stock** guarantee
- ✓ Advance **technology** & innovation
- ✓ Only specialised **distributor channels**
- ✓ Technical **support** & live chat
- ✓ **Well-balanced** collection
- ✓ Trendy & timeless **design**
- ✓ Global **marketing** support
- ✓ Available **worldwide**

DNA

Safety Jogger is a global division of safety footwear, gloves and socks with a balanced collection of evergreen and fashionable products for men & women. Safety Jogger products are always in stock, work for all professions, meet all norms & standards, have the best value vs quality ratio, stand out in terms of durability & comfort and are supported by global marketing actions.

LIGHTWEIGHT COLLECTION

P.14



MORRIS S1P | P.15



ABSOLUTE S1P | P.16



LIGERO S1P | P.16

HIKING COLLECTION

P.18



DAKAR S3 | P.19



DESERT S1P | P.19



CLIMBER S3 | P.20



JUMPER S3 | P.20



X2000 S3 | P.21



X2020P S3 | P.21



ORION S1P | P.22



TITAN S1P | P.22



GOBI S1P | P.23

SPORTS COLLECTION

P.24



FITZ S1P | P.25



CADORE S1P | P.25



D031N S1P | P.26



RAPTOR S1P | P.26



L340N S3 | P.27



L320N S3 | P.27



SPEEDY S3 | P.28



TURBO S3 | P.28



YUKON S1P | P.29



BALTO S1 | P.29

HEAVY DUTY COLLECTION

P.30



SX840 S3 | P.31



SX700 S3 | P.31



VOLCANO S3 | P.33



LAVA S3 | P.33



X430 S3 | P.35



X330 S3 | P.35



COSMOS S3 | P.36



NOVA S3 | P.36



ENERGETICA S3 | P.37



DYNAMICA S3 | P.37



ARAS S3 | P.38



WORKER S3 | P.38



MONTIS S3 | P.39



VALLIS S3 | P.39

SNEAKERS COLLECTION

P.40



OBELIX S3 | P.41



S035 S3 | P.41



S030 S1P | P.42



S031 S1P | P.42

CLASSIC COLLECTION

P.44



G703 S3 | P.45



MANAGER S3 | P.45



X1100N81 S3 | P.46



X111081 S3 | P.46



EOS S3 | P.47



AURA S3 | P.47



C430 S3 | P.48



C330 S3 | P.48



X1100N S3 | P.49



X1110 S3 | P.49



ELEVATE S1P | P.50



ADVANCE S1P | P.50



BESTBOY2 S3 | P.51



BESTRUN2 S3 | P.51



A210 S1P | P.52



BESTBOY S3 | P.52



BESTRUN S3 | P.53



SAFETYBOY S1P | P.54



SAFETYRUN S1P | P.54



SAFETYSTAR S3 | P.55

FOOD COLLECTION

P.56



W310 S2 | P.57



LUNGO81 S3 | P.57



GUSTO81 S3 | P.58



DOLCE81 S3 | P.58



VOLLUTO81 S3 | P.59



ROMA81 S3 | P.59



DOLCE S3 | P.60



X0600 S3 | P.60



BRIO S2 | P.61



GUSTO S2 | P.61



X0500 S2 | P.62



CORTADO SB | P.62



POSEIDON S4 | P.63

LADIES COLLECTION

P.64



ISIS S3 | P.65



CERES S3 | P.65



BEYONCE S3 | P.66



RIHANNA S3 | P.66



BESTLADY S3 | P.67



BESTGIRL S3 | P.67



BOTANIC S1P | P.69



ORGANIC S1P | P.69

SEASONAL COLLECTION

P.70



NORDIC S3 | P.71



ALASKA S3 | P.71



BESTBOOT S3 | P.72



BESTBOY259 S3 | P.72



HERCULES S5 | P.73



FORZA S1P | P.73



SONORA S1P | P.74

ACCESSORIES

P.74



SJSOCK | P.74

GLOVES COLLECTION

P.75



PROCUT 4X42D
P.76



PROSHIELD 4X42F
P.76



SHIELD 4X43C
P.77



PROTECTOR 4X44C
P.79



PRODRY 2131X
P.79



CONSTRUCTO 3243X
P.80



CONSTRUHOT 2131X
P.80



ALLFLEX 4132X
P.81



PROSOFT 3121X
P.81



SUPERPRO 4121X
P.82



MULTITASK 4131X
P.82

CORPORATE COLLECTION

P.86



OLIVE 01 | P.86



COLETTE 01 | P.86



JULINE 08 | P.86



JULIA 08 | P.87



BERLIN 02 | P.88



DUBLIN 02 | P.88

CLOGS COLLECTION

P.90



SMOOTH 08 | P.90



SONIC 08 | P.90



OXYCLOG 08 | P.90



OXYVA 08 | P.91



OXYSAFE PB | P.91



BESTCLOG 08 | P.91



BESTLIGHT1 08 | P.92

MOVE UP COLLECTION

P.93



SAMANTHA 08 | P.93



LISBETH 02 | P.93



SHEILA 08 | P.93

MOVE COLLECTION

P.94



EVELYN 01 | P.94



ALIZA 08 | P.94



DANY 08 | P.94



LINA 08 | P.95



NILDA 01 | P.95



EVA 01 | P.95



BIANCA 08 | P.96

MEDILOGIC COLLECTION

P.96



SOPHIE 01 | P.96



CAMILLE 01 | P.97



CARINNE 08 | P.97



ELIANE 01 | P.97

MOTION COLLECTION

P.98



EVAN 01 | P.98



ROY 01 | P.98



REMY 08 | P.98

FASHION COLLECTION

P.99



KASSIE 01 | P.99



KAYLA 02 | P.99



ROMAN 01 | P.99



PATRICIA 01 | P.100



LUCA 01 | P.100



KARLA 01 | P.100



CLARK 01 | P.101



PAOLA 01 | P.101

SPORTS COLLECTION

P.102



DOMINIQUE 01 | P.102



JUSTIN 01 | P.102



ELA 01 | P.102



JAMES 0B | P.103



MAUD 0B | P.103



HENNY 0B | P.103



SUNNY 0B | P.104

ACCESSORIES

P.104



PHARMAMASK | P.104



OXYWATCH | P.104

TACTICAL COLLECTION

P.105



TROOPER S3 | P.107



TACTIC 0B | P.107



ARMOUR 02 | P.108



SHARK S3 | P.109



DRAGON S3 | P.110



KOMODO S3 | P.110

TIGER GRIP COLLECTION

P.111



VISITOR | P.112



VISITORC | P.112



VISITORI | P.112



VISITORP | P.113



VISITORMF | P.113



EASYGRIP | P.113



EASYMAX | P.114



TOTPROTEC | P.114



TOTPROTECP | P.114



JACKSGRIP 0B | P.115



SKIPGRIP | P.115



AQUAGRIP | P.115



CITYGRIP | P.116



WINTERGRIP | P.116



comfortable footbed

The footbed ensures lightness, air breathability and comfort all day long. The footbed takes full-surface foot support to the next level while maintaining all other features such as shock impact zone, arch support, shock absorption, electro static discharge. With this footbed, your feet will feel comfortable and fresh all day long.



ultimate shock absorption

self-cleaning outsole profile



puncture resistance, steel & woven fabric midsoles



certified slip resistance

SRA slip resistant soles are tested on a ceramic tile wetted with dilute soap solution.

+ **SRB** slip resistant soles are tested on smooth steel with glycerol.

= **SRC** slip resistant soles pass both SRA and SRB slip resistance tests.



protective toe cap in STEEL, COMPOSITE or NANOCARBON

A protective toe cap made according to European or ASTM standard will protect the feet from impact, regardless the material.

Steel toe caps are conducting cold, heat and electricity.

Composite toe caps are lighter compared to a steel toe, reducing stress and fatigue on the legs and joints throughout long workdays. They are not conducting heat or cold in extreme temperatures, for extra comfort.

Nanocarbon toe caps are thinner than a composite toe and are therefore a solution for the thicker and bulkier composite toe.

Composite and **Nanocarbon** toe caps are metal free and practical when working in electrical hazardous environments, or workplaces with metal detectors such as courts, airports,...






















































SAFETY JOGGER

































INDUSTRIAL




SAFETY STANDARD **EN ISO 20345** SAFETY FOOTWEAR THAT REQUIRES A SAFETY TOE CAP


	EN ISO 20345	BASIC TOE PROTECTION	SLIP RESISTANT	CLOSED HEEL	ANTISTATIC	OIL & FUEL RESISTANCE	HEEL ENERGY ABSORPTION	WATER REPELLENT UPPERS	PUNCTURE RESISTANCE	CLEATED OUTSOLE
	CODE	B	SRA/SRB/SRC	/	A	FO	E	WRU	P	/
 CLASS 1	SB									
	S1									
	S1P									
	S2									
	S3									
 CLASS 2	SB									
	S4									
	S5									

SAFETY STANDARD **EN ISO 20347** SAFETY FOOTWEAR THAT DOESN'T REQUIRE A SAFETY TOE CAP

	EN ISO 20347	SLIP RESISTANT	CLOSED HEEL	ANTISTATIC	HEEL ENERGY ABSORPTION	WATER REPELLENT UPPERS	PUNCTURE RESISTANCE	CLEATED OUTSOLE
	CODE	SRA/SRB/SRC	A	FO	E	WRU	P	/
 CLASS 1	0B							
	01							
	02							
	03							
 CLASS 2	0B							
	04							
	05							



MORE TECHNOLOGY?
VISIT OUR WEBSITE
or get our
FREE E-BOOK



NANO CARBON TOE CAP

Innovative Carbon Nanofiber material makes these safety toes the lightest and most advanced safety toe available on the market.

The weight of the SJ Nano Carbon toe cap is **50% less than a traditional steel** safety toe cap and **40% less than a standard composite** toe cap. The toe cap will not conduct heat nor cold, will not activate metal detectors, is non-magnetic, and static free, thus ensuring safety first!



The Safety Jogger Lightweight collection is the must-have for the hybrid workplace. With unique features such as a **removable footbed** with a built-in **air circulation** system and **shock absorption**, you will have one of the lightest safety shoes on the market.


LIGHTWEIGHT

EXTREME **LIGHT** SAFETY FOOTWEAR



BLK

MORRIS S1P



METAL FREE

Metal free safety shoes are in general lighter than regular safety shoes. They are also very beneficial for professionals who have to pass through metal detectors several times a day.

The most responsible safety shoe with ultimate comfort

Upper	Knitted Recycled Textile, Recycled Microfibre, Synthetic Nubuck
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	3D-Mesh
Footbed	Comfort Footbed, SJ foam footbed
Category	EN ISO 20345:2011 - S1P / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



LIGHTWEIGHT



10-12
plastic bottles
for one pair of shoes

made from
recycled
materials



Each pair contains 10 to 12 plastic bottles worth of ocean waste. Making the Morris one of the most eco-friendly safety shoe available.

The upper knitwear is made with recycled materials. The removable footbed is made with recycled materials. On top of that, we guarantee the above standard comfort and protection.



Contains 100% Post-consumer Recycled Polyester

ABSOLUTE S1P



BLK

LIGERO S1P



BLK




3D MESH

Three-dimensional produced distance mesh to provide increased moisture and temperature management.

Extreme light mid-cut ESD safety shoe

Upper	Mesh / Synthetic
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / ESD, SRC, CI
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



ELECTROSTATIC DISCHARGE (ESD)

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.

Extremely light low-cut ESD safety shoe

Upper	Mesh / Synthetic
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / ESD, SRC, CI
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0






LIGHTWEIGHT


TECHNOMESH LINING

The **breathable** technomesh keeps your feet dry and comfortable. As you walk, air is pushed and circulated through the fibers allowing the skin to breathe.



SRC - CERTIFIED SLIP RESISTANCE

The SRC standard meets the requirements of both SRA and SRB, meaning the slip resistance of the outsole was tested on a ceramic tile wetted with a dilute soap solution and on smooth steel plate with glycerol. Safety Jogger's slip resistant outsoles pass both tests with glance and do not only fulfill the minimum standards, but exceed them remarkably.





Safety Jogger has a variety of safety hiker boots, which are **perfect for many adventures**. As well as protective toe caps, our hiking boots also benefit from additional safety features, such as puncture resistant midsoles and a high level of cushioning & impact protection.

HIKING

**FOOTWEAR THAT
KEEPS YOU GOING**

DAKAR S3




018

DESERT S1P



117



SRC SLIP RESISTANCE

Slip resistant soles are one of the most important features of safety and occupational footwear. SRC slip resistant soles pass both SRA and SRB slip resistant tests, they are tested on both steel and ceramic surfaces.

Fashionable safety shoe with extraordinary technical features

Upper	Pull-up Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Microsuede
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



SRC SLIP RESISTANCE

Slip resistant soles are one of the most important features of safety and occupational footwear. SRC slip resistant soles pass both SRA and SRB slip resistant tests, they are tested on both steel and ceramic surfaces.

Stylish safety boot with a canvas upper

Upper	Cotton
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



CLIMBER S3




117

JUMPER S3



117




METAL FREE

Metal free safety shoes are in general lighter than regular safety shoes. They are also very beneficial for professionals who have to pass through metal detectors several times a day.

Mid-cut safety shoe with enhanced grip control

Upper	Suede Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-49 • UK 3.5-13.5 • US 4.0-14.5 • CM 23.5-32.5



METAL FREE

Metal free safety shoes are in general lighter than regular safety shoes. They are also very beneficial for professionals who have to pass through metal detectors several times a day.

Low-cut safety shoe with enhanced grip control

Upper	Suede Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



X2000 S3

10A

X2020P S3

10A

**ANTISTATIC**

Antistatic footwear prevents build-up of static electrical charges and ensures that they are discharged effectively. Volume resistance between 100 KiloOhm and 1 GigaOhm

Evergreen mid-cut safety shoe for daily use

Upper	Waterproof Suede
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-49 • UK 3.5-13.5 • US 4.0-14.5 • CM 23.5-32.5

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Evergreen low-cut safety shoe for daily use

Upper	Waterproof Suede
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



ORION S1P



135



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

TITAN S1P



135



Breathable, low-cut suede safety shoe

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



GOBI **S1P****S1P**

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Low-cut safety shoe with premoulded footbed

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0





Our SPORTS collection connects technologies and a sporty look to a **lifestyle feeling on the work floor**. The slip resistant sole provides optimum rolling and ensures a sturdy position.

SPORTS

THERE ARE **NO LIMITS**

FITZ S1P



GRY BLK

NAV

CADOR S1P

RED PNK LGR
GRN YEL

BLU




BREATHABLE UPPER

Increased moisture and temperature management for extended wearer comfort.

Casual low-cut safety shoe for men

Upper	Knitted Textile
Outsole	PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



ELECTROSTATIC DISCHARGE (ESD)

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.

Sporty low-cut ESD safety shoe

Upper	Mesh
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / ESD, SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



D031N S1P



BLK



BREATHABLE UPPER

Increased moisture and temperature management for extended wearer comfort.

Vegan safety shoe with a breathable and durable lining

Upper	Synthetic Nubuck, Textile
Outsole	PU, Rubber
Toecap	Steel
Midsole	Anti-puncture TextileAnti-puncture Textile
Lining	Mesh
Footbed	EVA, Mesh
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

RAPTOR S1P



077

Athletic low-cut safety shoe with active air unit

Upper	Mesh, Nubuck Action Leather
Outsole	Phylon/Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



L340N S3

L320N S3



WHT



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

White full grain leather lightweight safety shoe

Upper	Baku Action Leather, Synthetic Leather
Outsole	Phylon, Rubber
Toecap	Nano Carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	MG Hybrid
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Full-grain leather lightweight safety shoe

Upper	Waterproof Leather
Outsole	Phylon, Rubber
Toecap	Nano Carbon
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	MG Hybrid
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



SPEEDY S3



094

TURBO S3



094



SJ FLEX

Metal-free puncture resistant material, which is lighter and more flexible than steel. The material is not thermal conductive. Covers 100% of the surface of the last bottom.

Fashionable mid-cut safety shoe for active professional

Upper	Nubuck Action Leather
Outsole	PU/Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC, HRO
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Fashionable low-cut safety shoe for active professionals

Upper	Nubuck Action Leather
Outsole	PU, Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC, HRO
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



YUKON S1P


BALTO S1

**BREATHABLE UPPER**

Increased moisture and temperature management for extended wearer comfort.

Durable, light yet comfortable safety shoe

Upper	Textile
Outsole	PU/PU
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	3D-Mesh, Textile
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5

**BREATHABLE UPPER**

Increased moisture and temperature management for extended wearer comfort.

Extreme light low-cut safety shoe

Upper	Synthetic
Outsole	EVA/Rubber
Toecap	Steel
Midsole	
Lining	Mesh, Synthetic Leather
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0





Safety Jogger offers comfortable work shoes **suitable for heavy jobs** and **labour that requires strenuous activity**.

We have **comfortable work shoes** for men and women benefiting from trendy designs, soft linings, state-of-the-art impact foam, air cushioning, breathable leather, and so much more to bring you the comfort you desire.

HEAVY DUTY

**THE ULTIMATE
SAFETY FOOTWEAR**

HEAVY DUTY

SX840 **S3**



BLK

SX700 **S3**



BLK



WATERPROOF (WR)

Waterproof footwear prevents liquids to enter into the shoe.

High-cut, heavy duty waterproof safety boot

Upper	Synthetic Leather, Waterproof Leather
Outsole	PU, Rubber
Toecap	Composite
Midsole	Puncture resistant MAX FLEX
Lining	3D-Mesh, Sympatex Membrane
Footbed	Max 3Fit
Category	EN ISO 20345:2011 - S3 / SRC, WR, HI, CI, HRO
Size range	EU 39-48 • UK 6.0-13.0 • US 6.5-13.5 • CM 25.5-31.5



WATERPROOF (WR)

Waterproof footwear prevents liquids to enter into the shoe.

Mid-cut, heavy duty waterproof safety shoe

Upper	Synthetic Leather, Waterproof Leather
Outsole	PU, Rubber
Toecap	Composite
Midsole	Puncture resistant MAX FLEX
Lining	3D-Mesh, Sympatex Membrane
Footbed	Max 3Fit
Category	EN ISO 20345:2011 - S3 / SRC, WR, HI, CI, HRO
Size range	EU 39-48 • UK 6.0-13.0 • US 6.5-13.5 • CM 25.5-31.5





ESD IN INDUSTRIES

ESD and antistatic safety shoes are used in different type of industries **to protect sensitive equipment or components from electrostatic discharges**, such as aerospace, industrial equipment manufacturing, medical industry, hospitals and many more.

ESD can prevent a range of harmful effects on worksites. Uncontrolled release of static charges can cause gas, fuel vapour or coal dust explosions, as well as failure of solid state electronics components such as integrated circuits. Therefore it's crucial that people who work in these environments **wear ESD or antistatic safety shoes** to protect all electrical components.

VOLCANO **S3**

217

130

LAVA **S3**

217

130

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut waterproof ESD safety shoe

Upper	Pull-up Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Membrane
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC, WR
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0

**WATERPROOF (WR)**

Waterproof footwear prevents liquids to enter into the shoe.

Low-cut waterproof ESD safety shoe

Upper	Pull-up Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Membrane
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC, WR
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0




for **tough** and **wet** conditions

Waterproof footwear prevents
liquids to enter into the shoe

HIGHLY
BREATHABLE
WATERPROOF
MEMBRANE

WATER
REPELLENT

LINING



HEAVY DUTY

X430 S3



BLK

X330 S3



BLK



WATERPROOF (WR)

Waterproof footwear prevents liquids to enter into the shoe.

Mid-cut safety shoe with heat resistant outsole

Upper	Waterproof Pull-up Leather
Outsole	PU, Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Membrane
Footbed	EVA
Category	EN ISO 20345:2011 - S3 / ESD, SRC, WR, CI, HRO
Size range	EU 38-50 • UK 5.0-14.0 • US 5.5-15.0 • CM 25.0-33.0



HEAT RESISTANT OUTSOLE (HRO)

The outsole resists high temperatures up to 300°C.

Low-cut safety shoe with heat resistant outsole

Upper	Waterproof Pull-up Leather
Outsole	PU, Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Membrane
Footbed	EVA
Category	EN ISO 20345:2011 - S3 / ESD, SRC, WR, CI, HRO
Size range	EU 38-50 • UK 5.0-14.0 • US 5.5-15.0 • CM 25.0-33.0



COSMOS S3



210

NOVA S3



210



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut leather safety shoe for demanding professions

Upper	Nappa Leather
Outsole	PU/TPU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



COMPOSITE TOECAP

Metalfree and lightweight, no thermal or electrical conductivity

Low-cut leather safety shoe for demanding professions

Upper	Nappa Leather
Outsole	PU/TPU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 38-47 • UK 5.0-12.0 • US 5.5-13.0 • CM 25.0-31.0




ENERGETICA **S3**

090

DYNAMICA **S3**

V64

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut ESD safety shoe in premium Cordura® upper material

Upper	Textile
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut ESD safety shoe in premium Cordura® upper material

Upper	Textile
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0





BLK

ARAS **S3**



091

WORKER **S3**



COLD INSULATED (CI)

Cold insulated (CI) safety shoes keep your feet warm. They are worn in cold environments.

High-cut leather cold insulated safety shoe

Upper	Corrected Nappa Leather, Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3M Thinsulate, Teddy
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC, CI
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

The innovative protection companion in outdoor activity

Upper	Pull-up Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



MONTIS S3



049

VALLIS S3



049



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut safety shoe with reflecting heel part and non-marking outsole

Upper	Nubuck Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut safety shoe with reflecting heel part and non-marking outsole

Upper	Nubuck Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0





///5///5///5///5///5///5///5///5///5

Trendy or safe? Why not both?
With the sneakers collection, Safety Jogger has created an own and new category: sportive sneakers that combine fashion with the latest safety technology.

SNEAKERS

**FASHIONABLE
SAFETY FOOTWEAR**

40

With the sneakers collection, Safety Jogger has created an own and new category: sportive sneakers that combine fashion with the latest safety technology.

**FASHIONABLE
SAFETY FOOTWEAR**

OBELIX S3


S035 S3

**ELECTROSTATIC DISCHARGE (ESD)**

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.

Comfortable high-quality safety sneaker

Upper	Waterproof Suede
Outsole	Rubber
Toecap	Aluminium
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5

**SJ FLEX**

Metalfree puncture resistant material, which is lighter and more flexible than steel. The material is not thermal conductive. Covers 100% of the surface of the last bottom.

Sporty, low-cut safety shoe for daily protection

Upper	Nappa Action Leather
Outsole	Phylon, Rubber
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	EVA
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



S030 S1P



BLU

S031 S1P



BLK



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Sporty, low-cut safety shoe for daily protection

Upper	Textile, Waterproof Suede
Outsole	Phylon, Rubber
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	EVA
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Sporty, mid-cut safety shoe for daily protection



Upper	Waterproof Suede
Outsole	Phylon, Rubber
Toecap	Steel
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	Mesh
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



R&D FACILITIES

innovation in every step

From the well-considered design and construction to the final product distribution, Safety Jogger controls every step of the process. Advanced research & development facilities in Europe and Asia make sure all products are manufactured with the latest technological features and according to Safety Jogger's quality standards. Thanks to the knowledge of our experienced footwear professionals, the continuous investments in training and innovation and our motivated employees, we are able to exceed your expectations when it comes to functionality, product design and service.



LAB

quality is key

Quality is key in our organization. By developing in our own facilities and by inspecting all materials in the company's specialized test laboratory, we can monitor every aspect of the products we produce. As a result, we got certified by the most known institutes in the industry and can guarantee our products meet the highest norms when it comes to protection.



CLASSIC

FIRST CLASS
SAFETY FOOTWEAR

G703 S3



BLK

MANAGER S3



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Flexible, mid-cut ESD safety shoe

Upper	Waterproof Leather
Outsole	Rubber
Toecap	Steel
Midsole	Puncture resistant MAX FLEX
Lining	Synthetic Leather
Footbed	EVA
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 38-47 • UK 5.0-12.0 • US 5.5-13.0 • CM 25.0-31.0



ELECTROSTATIC DISCHARGE (ESD)

ESD provides the controlled discharge of electrostatic energy that can damage electronic components and avoids risks of ignition resulting from electrostatic charges. Volume resistance between 100 KiloOhm and 35 MegaOhm.

Elegant safety shoe with exceptional protection

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



X1100N81 S3



BLK

X111081 S3



BLK



SHOES FOR CREWS

Shoes For Crews safety and occupational footwear provides enhanced traction, slip resistance when walking on different slippery surfaces and much more.

Mid-cut leather safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



SHOES FOR CREWS

Shoes For Crews safety and occupational footwear provides enhanced traction, slip resistance when walking on different slippery surfaces and much more.

Low-cut leather safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



EOS S3



210

AURA S3



210



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut ESD leather safety shoe made to last

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



BREATHABLE LEATHER UPPER

Natural leather provides a high degree of wearer comfort combined with durability in versatile applications.

Low-cut ESD leather safety shoe made to last

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



C430 **S3**



335

C330 **S3**



335



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut safety shoe with replaceable footbed

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 38-50 • UK 5.0-14.0 • US 5.5-15.0 • CM 25.0-33.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut safety shoe with replaceable footbed

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	EVA, Mesh
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 38-50 • UK 5.0-14.0 • US 5.5-15.0 • CM 25.0-33.0

X1100N S3



BLK

X1110 S3



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut leather safety shoe for protection in style

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut leather safety shoe for protection in style

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



ELEVATE S1P



T22

ADVANCE S1P



T22



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Mid-cut safety shoe with reflecting heel part

Upper	Carbon Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Low-cut safety shoe with reflecting heel part

Upper	Carbon Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



BESTBOY2 S3

BESTRUN2 S3



210



217



DGUV BGR 191

These shoes are suitable for orthopedic footbeds and orthopedic alterations. Certified according to BGR 191.

All features of the original Bestboy in an updated design

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



DGUV BGR 191

These shoes are suitable for orthopedic footbeds and orthopedic alterations. Certified according to BGR 191.

All features of the original Bestrun in an updated design

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



A210 S1P



BLK



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Perforated, low-cut safety shoe for optimal ventilation

Upper	Waterproof Suede
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	Mesh
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



BESTBOY S3



BLK

BESTRUN S3



BLK



OIL & FUEL RESISTANT

The outsole is resistant against oil and fuel.

All-time favorite, mid-cut safety shoe

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

All-time favorite, low-cut safety shoe

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



SAFETYBOY S1P



BLK

SAFETYRUN S1P



BLK



SRC SLIP RESISTANCE

Slip resistant soles are one of the most important features of safety and occupational footwear. SRC slip resistant soles pass both SRA and SRB slip resistant tests, they are tested on both steel and ceramic surfaces.

Mid-cut leather safety boot for daily protection

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Eco
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Low-cut leather safety shoe for daily protection

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Eco
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



CLASSIC

SAFETYSTAR S3



BLK



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Best priced S3 safety shoe on the market

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Eco
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0





A safety shoe for the food industry has to meet specific standards of safety and hygiene. The models with an upper made out of the **exclusive Lorica®** protect effectively against animal fats, oil, petrol, disinfectants and a variety of chemicals. Sustainable designing, we made as little stitches as possible – making it easier to clean the shoes.

FOOD


SAFETY FOOTWEAR DESIGNED FOR **PROFESSIONALS**

W310 S2

WHT

LUNG081 S3

WHT



METAL FREE

Metal free safety shoes are in general lighter than regular safety shoes. They are also very beneficial for professionals who have to pass through metal detectors several times a day.

Low-cut safety shoe, designed for the food industry

Upper	Synthetic Leather
Outsole	PU/PU
Toecap	Composite
Midsole	
Lining	3D-Mesh
Footbed	Max 3Fit
Category	EN ISO 20345:2011 - S2 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5

SHOES FOR CREWS

Shoes For Crews safety footwear provides enhanced traction, slip resistance when walking on different slippery surfaces and much more.

Mid-cut safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU, Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



GUST081 S3



WHT

DOLCE81 S3



BLK




SHOES FOR CREWS

Shoes For Crews safety and occupational footwear provides enhanced traction, slip resistance when walking on different slippery surfaces and much more.

Low-cut safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



SJ FLEX

Metalfree puncture resistant material, which is lighter and more flexible than steel. The material is not thermal conductive. Covers 100% of the surface of the last bottom.

Safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



VOLLUT081 **S3**

WHT

ROMA81 **S3**

BLK

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU, Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ Hybrid 3MM
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5

**S3**

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut safety shoe with zone traction and tripguard

Upper	Nappa Action Leather
Outsole	PU, Rubber
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5



DOLCE S3



217



BLK

X0600 S3



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Fashionable safety shoe, designed for the food industry

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



OIL & FUEL RESISTANT

The outsole is resistant against oil and fuel.

Safety shoe, designed for the food industry

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



BRIO S2

GUSTO S2



SRC SLIP RESISTANCE

Slip resistant soles are one of the most important features of safety and occupational footwear. SRC slip resistant soles pass both SRA and SRB slip resistant tests, they are tested on both steel and ceramic surfaces.

Low-cut safety shoe, designed for the food industry

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S2 / ESD, SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Fashionable safety shoe, designed for the food industry

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S2 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



X0500 S2



067

CORTADO SB



WHT



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Safety shoe, designed for the food industry

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	N/A
Lining	Cambrella
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S2 / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Fashionable safety clog with backstrap

Upper	Nappa Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	N/A
Lining	Mesh
Footbed	SJ Latex M2223
Category	EN ISO 20345:2011 - SB / SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0





POSEIDON S4

WHT



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

Safety boot with PVC outsole

Upper	SJ PVC
Outsole	PVC
Toecap	Steel
Midsole	
Lining	Tricot
Footbed	
Category	EN ISO 20345:2011 - S4 / SRA
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



FOOD





The Safety Jogger Lady Line, a **very important part of our safety shoe collection**, adds a sporty & feminine style to our fashionable safety shoe range, as well as the comfort that won't let your feet in agony by the time you kick off the work day. They manage whatever obstacles the working day throws your way and are an essential part of the professional wardrobe for every hard-working woman. This way, the Lady Line meets the growing demand of safety shoes for women.

LADIES

**RELEASE YOUR
INNER POWER IN **STYLE****

ISIS S3

CERES S3



210



210



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut safety shoe in nubuck, designed for ladies

Upper	Nubuck Action Leather
Outsole	Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut safety shoe in nubuck, designed for ladies

Upper	Nubuck Action Leather
Outsole	Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	3D-Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



BEYONCE **S3**



T22

RIHANNA **S3**



T22



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut, athletic safety shoe for active women

Upper	Nubuck Action Leather
Outsole	Phylon, Rubber
Toecap	Aluminium
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-46 • UK 3.5- • US 6.0- • CM 23.5-



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut, athletic safety shoe for active women

Upper	Nubuck Action Leather
Outsole	Phylon, Rubber
Toecap	Aluminium
Midsole	Anti-puncture Textile
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 36-46 • UK 3.5- • US 6.0- • CM 23.5-



BESTLADY S3


BESTGIRL S3



217



217



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Classic, mid-cut safety shoe with a female touch

Upper	Baku Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Classic, low-cut safety shoe with a female touch

Upper	Baku Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0





BOTANIC S1P



DGR

ORGANIC S1P



DGR



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Mid-cut, elegant safety shoe with a female touch

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Cotton
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Low-cut, elegant safety shoe with a female touch

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0





With the SEASONABLE collection, we offer safety shoes for **each temperature and weather condition**. Using the right equipment and wearing safety shoes protecting you against cold is necessary to be safe at work. Safety Jogger has CI (Cold Insulated) shoes padded with materials such as teddy, fur or wool. High summer temperatures can be an issue when working. Work shoes with perforated uppers or breathable fabrics will be of help.

SEASONAL

**SAFETY FOOTWEAR FOR
EVERY ENVIRONMENT**

SEASONAL

NORDIC S3



warm lining

217

ALASKA S3



warm lining

BRN



COLD INSULATED (CI)

Cold insulated (CI) safety shoes keep your feet warm. They are worn in cold environments.

Leather safety boot with warm lining and zipper

Upper	Corrected Nappa Leather
Outsole	PU/TPU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Teddy
Footbed	Teddy
Category	EN ISO 20345:2011 - S3 / SRC, CI
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Leather safety boot with warm lining

Upper	Pull-up Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Teddy
Footbed	Teddy
Category	EN ISO 20345:2011 - S3 / SRC, CI
Size range	EU 38-47 • UK 5.0-12.0 • US 5.5-13.0 • CM 25.0-31.0






BESTBOOT S3



BLK



BESTBOY259 S3



BLK



STEEL MIDSOLE

Puncture resistant steel midsoles are made from stainless or coated steel and prevent sharp objects from penetrating the outsole.

Safety boot with ribbed heel and warm lining

Upper	Barton Action Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Teddy
Footbed	Teddy
Category	EN ISO 20345:2011 - S3 / SRC, CI
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



WARM LINING

Keeps your feet warm and dry in cold environments.

All Bestboy2 features with wool lining & BASF PU/rubber outsole

Upper	Baku Action Leather
Outsole	PU/Rubber
Toecap	Steel
Midsole	Steel
Lining	Fur
Footbed	Fur
Category	EN ISO 20345:2011 - S3 / SRC, CI, HRO
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



SEASONAL

HERCULES S5



BLK

FORZA S1P



V64



STEEL TOECAP

Robust metal support to protect the feet of the wearer against falling or rolling objects.

High puncture resistant PVC safety boot

Upper	SJ PVC
Outsole	PVC
Toecap	Steel
Midsole	Steel
Lining	Tricot
Footbed	N/A
Category	EN ISO 20345:2011 - S5 / SRA
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Athletic safety sandal with velcro straps

Upper	Textile
Outsole	PU/PU
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / ESD, SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



SONORA S1P



135



S1P

You work in dry environments, no risk of water/liquid sprays, and you need protection for your toes, protection against perforation, and a good breathability? Then you need S1P safety footwear.

Low-cut breathable suede safety shoe

Upper	Suede Leather
Outsole	PU/PU
Toecap	Steel
Midsole	Steel
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S1P / SRC
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0

SJ SOCK



Comfortable socks

Since safety footwear is mostly made of tough and harsh materials, it's essential to wear the best quality work boot socks to go with your boots. Our socks are designed to feel comfortable while working and because every foot is different, there is an elastic and fortified ankle so the Safety Jogger work boot socks seamlessly follow the anatomic shape of every individual foot. This way, you will not be bothered by annoying folds that create an uneasy feeling.

Material	75% cotton - 23% polyester - 2% elastic
Sizes	EU 39/42 - 43/47 UK 6/8 - 9/12 US 6.5/9 - 10/13 CM 25.5/27 - 28/31





GLOVES

KEEP YOUR HANDS
PROTECTED

**18
GAUGE**

**PROCUT
4X42D**



514

Cut resistant HPPE (high performance polyethylene) glove with foam nitrile coating

The seamless PROCUT cut resistant gloves of Safety Jogger guarantee a huge dexterity, safety, grip and reliability. They were designed to provide maximal strength in heavy working conditions. Next to a maximal cut resistance (level 5) these gloves provide excellent comfort and dexterity. The ideal solution for work activities with risk of cuts. Extreme ultra high level of cut resistance and high level of dexterity due to the 18 gauge lining.

Liner	HPPE
Coating	Foam nitrile
Performance level	4X42D
Category	EN 388:2016
Sizes	8, 9, 10 and 11

EN 388:2016



- High level of cut resistance with full wrist protection
- Extreme dexterity due to the 18 gauge lining
- Touch screen glove



**15
GAUGE**

**PROSHIELD
4X42F**



031

Cut resistant HPPE (high performance polyethylene) glove with polyurethane coating

The seamless PROSHIELD cut resistant gloves of Safety Jogger guarantee a huge dexterity, safety, grip and reliability. They were designed to provide maximal strength in heavy working conditions. Next to a maximal cut resistance (level 5) these gloves provide excellent comfort and dexterity. The ideal solution for work activities with risk of cuts. Strong anti-cut level with a fully wrist protection, strong dexterity level due to the 15 gauge lining.

Liner	HPPE
Coating	PU
Performance level	4X42F
Category	EN 388:2016
Sizes	8, 9, 10 and 11

EN 388:2016



- High level of cut resistance with full wrist protection
- Extreme dexterity due to the 15 gauge lining



SHIELD
4543
4X43C



031

Cut resistant HPPE (high performance polyethylene) safety gloves with polyurethane coating

The seamless SHIELD cut resistant gloves of Safety Jogger guarantee a huge dexterity, safety, grip and reliability. They were designed to provide maximal strength in heavy working conditions. Next to a maximal cut resistance (level 5) these gloves provide excellent comfort and dexterity. The ideal solution for work activities with risk of cuts.

Liner	HPPE
Coating	PU
Performance level	4X43C
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016



• Anti cut level 5



Standard EN 388:2016

GLOVES PROTECTING FROM MECHANICAL RISKS

This standard applies to all kinds of protective gloves in terms of physical and mechanical hazards caused by abrasion, blade cuts, puncture and tearing. The level of protection against mechanical hazards is expressed by an icon followed by four numbers (performance levels), each representing the performance against a specific hazard.

The EN 388, similar to ANSI/ISEA 105, is the European standard used to evaluate mechanical risks for hand protection. Gloves with a EN 388 rating are third party tested, and rated for abrasion, cut, tear, and puncture resistance. Cut resistance is rated 1-5, while all other physical performance factors are rated 1-4. Up until now, the EN 388 standard used only the "Coup Test" to test for cut resistance. The new EN 388 2016 standard uses both the "Coup Test" and the "TDM-100 Test" to measure cut resistance for a more accurate score.

Performance Level Rating						
Test	0	1	2	3	4	5
a. Abrasion resistance (cycles)	< 100	100	500	2000	8000	-
b. Blade cut resistance (factor)	< 1.2	1.2	2.5	5.0	10.0	20.0
c. Tear resistance (newton)	< 10	10	25	50	75	-
d. Puncture resistance (newton)	< 20	20	60	100	150	-



Gloves with Level Rating	
Article	Level
Procut	4X42D
Proshield	4X42F
Protector	4X44C and 4544
Shield	4X43C and 4543
Prodry	2131
Allflex	4132
Construhot	2131 / X2X
Constructo	3243
Prosoft	3121
Superpro	4121
Multitask	4131

- a. Resistance to abrasion: based on the number of cycles required to abrade through the sample glove.
- b. Blade cut resistance: based on the number of cycles required to cut through the sample at a constant speed.
- c. Tear resistance: based on the amount of force required to tear the sample.
- d. Puncture resistance: based on the amount of force required to pierce the sample with a standard sized point.



PROTECTOR 4544 4X44C



075

Cut resistant HPPE (high performance polyethylene) glove with double nitrile coating

The seamless PROTECTOR cut resistant gloves of Safety Jogger guarantee dexterity, safety, grip and reliability. They were designed to provide maximum mechanical strength for light to heavy working conditions. Next to a maximum cut resistance these gloves offer huge comfort and dexterity. The ideal solution for activities in less favorable conditions. Seamless HPPE liner with double nitrile coating. First coating (blue) on the palm of the hand and on 3/4 of the back of the hand. Second coating (black) in foamed nitrile (for better grip in humid condition) on palm of the hand and fingertips.

Liner	HPPE
Coating	Nitrile
Performance level	4X44C
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016



- Double layer coating
- Anti cut level 5



PRODRY 2131X



BLB

The all-in-one safety gloves with double nitrile coating

The seamless water repellent PRODRY gloves of Safety Jogger are designed for activities in every environment and for every weather condition. The polyester/nylon liner is provided with a fully latex coating (sky blue colour) and a second roughened latex coating (black colour) on the palm of the hand. Polyester/nylon liner with maximum comfort. Keeps your hands dry in wet working conditions. Isolating foam latex coating against cold weather conditions.

Liner	Polyester + nylon
Coating	Foam latex
Performance level	2131X
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016



- Double layer coating
- Water repellent

CONSTRUCTO 3243X



025

Seamless cotton safety gloves for general use in heavy conditions

The seamless CONSTRUCTO gloves of Safety Jogger are designed for general use. Cotton/polyester liner with green latex coating on the palm of the hand. The most used glove for handling for which high abrasion resistance and dexterity are a must! Extremely flexible and solid. The wrinkled latex coating gives an extraordinary grip.

Liner	Cotton, Polyester
Coating	Latex
Performance level	3243X
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016



- Extremely flexible and solid
- Extraordinary grip



CONSTRUHOT 2131X X2X



037

High visibility safety gloves for general use in cold conditions

The seamless CONSTRUHOT gloves of Safety Jogger are used in heavy working conditions. The polyester liner is provided with a heavy black latex coating. A big advantage is the yellow reflecting color for activities where visibility is very important (railways, airports, road works, ...). Thick lining to increase cold protection during work. Thick lining for more warmth. Yellow reflecting color for higher visibility in dangerous environments.

Liner	Polyester
Coating	Foam latex
Performance level	2131X
Category	EN 388:2016
Sizes	8, 9, 10 and 11

EN 388:2016



- Thick lining for more cold protection
- Winter glove EN 511:2006 X2X

ALLFLEX 4132X



174

Maximum dexterity and sensitivity safety gloves for the most delicate handling

The seamless ALLFLEX gloves of Safety Jogger are designed for light and delicate applications for which a maximum of agility and sensitivity are an absolute must. Excellent for delicate assembly and other light handling. Nylon spandex liner with black micro foam nitrile coating for precision handling in dry conditions.

Liner	Nylon + spandex
Coating	PU + nitrile microfoam
Performance level	4132X
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016

- DMF free



PROSOFT 3121X



335

Safety gloves for maximum dexterity and sensitivity with a grey foam nitrile coating

The seamless PROSOFT gloves of Safety Jogger are designed for light and delicate activities for which comfort, dexterity and sensitivity are extremely important. The additional foam nitrile coating provides an excellent grip, even in light oily environments. The foam nitrile coating provides an excellent grip in dry and less dry environments (e.g. cable laying).

Liner	Polyester
Coating	Nitrile
Performance level	3121X
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016

- Oil resistant



SUPERPRO 4121X



210

Black polyester safety gloves with a black nitrile coating

The seamless SUPERPRO polyester gloves are designed for light and delicate work activities for which dexterity and sensitivity are required. The black coating provides a remarkable good grip in a light oily environment. The nitrile coating on the palm of the hand assures a good grip in dry and light oily environments.

Liner	Polyester
Coating	Nitrile
Performance level	4121X
Category	EN 388:2016
Sizes	7, 8, 9, 10 and 11

EN 388:2016



- Oil resistant

MULTITASK 4131X



210

Safety gloves with maximum dexterity and sensitivity for the most delicate handling

The seamless MULTITASK gloves of Safety Jogger are designed for delicate and light handlings for which maximum comfort and dexterity are required. Available in black or white polyester with respectively black or white polyurethane coating according to the required activity. These gloves feel like a second skin to provide maximum precision.

Liner	Polyester
Coating	PU
Performance level	4131X
Category	EN 388:2016
Sizes	8, 9, 10 and 11

EN 388:2016



- Oil resistant

SAFETY JOGGER

PROFESSIONAL





Antistatic ESD

By friction of clothes a person becomes charged with **static electricity**. Without a constant discharge, you can easily load up to 3,000 volts without even noticing!

This charge can be unintentionally passed through by touching electronic equipment. 100 volts can already suffice to damage a sensitive (but maybe vital) equipment.



Always wear **ESD (Electro Static Discharge)** shoes to prevent static electricity from building up.



Shock absorbing & ultra-light

All day long, you are on your feet. The materials Oxygas uses for the soles and insoles **absorb shocks** and therefore offer **more comfort**.

Moreover, we strive to make our shoes **as light as possible** to make your daily kilometers as enjoyable as possible.



Slip resistant outsoles

The level of grip of an slip resistant sole is determined by a test measuring the friction coefficient between the sole and the surface. This is tested on the flat outsole and heel.

If the sole has a good grip on a wet, stone floor (Ceramic surface with a mix of soap and water), it obtains the **SRA standard**.

If the sole has good grip on a dirty, metal floor (Steel surface with glycerol), it gets the **SRB standard**.

If the sole passes the SRA and SRB tests, it gets the **SRC standard**.

Discover our latest outsole with Oxygrip®-technology on page 6. The test results show that Oxygrip® scores far above the required values at both of the tests. Safety guaranteed.



Removable insole

Most Oxygas models feature a **removable insole**. Renew your insole at a regular base or use your own orthopedic insoles.



Maintenance

Do your shoes often get dirty? Choose a model in leather or synthetic leather as they can **easily and quickly** be cleaned with a damp cloth and soap.



Coolmax®-lining

Coolmax® is a technical material which effectively drains perspiration. In contrast to a normal cotton or synthetic fiber, the Coolmax®- fiber consists out of 4 very thin round tubes. Small canals between the tubes transport the perspiration to the outside. As a result, the transpiration spreads quicker and evaporates 4 times faster than using cotton.

Why choose Safety Jogger Professional?

Our shoes are equipped with all technical features which are important for nursing staff. Below, you will find more information on the main specifications. Further on in the catalog, you will find the valid specifications per model.



CE Standard

The **CE certification** guarantees that the shoes are in accordance with the valid European standards for work or safety shoes:

- **EN 20347:** work shoes without reinforced toe.
- **EN 20346:** safety shoes with reinforced toe, resistant to an impact of up to 100 joules.
- **EN 20345:** safety shoes with reinforced toe, resistant to an impact of up to 200 joules.

Not all features apply to all models. Please check the product information per model.



OLIVE 01

COLETTE 01

JULINE 0B



BLK



WHT



BLK



WHT



BLK

Airy and comfortable professional shoe

Upper	Synthetic Leather
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC, FO
Size range	EU 35-44 • UK 3.0-10.0 • US 5.5-12.0 • CM 23.0-28.5

Elegant without compromising

Upper	Synthetic Leather
Outsole	EVA, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC, FO
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Professional and stylish work pump

Upper	Synthetic Leather
Outsole	Rubber
Slip resistant	SRA
Anti-static	
Lining	Synthetic Leather
Footbed	Synthetic Leather
Category	EN ISO 20347:2012 - OB / SRA
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



JULIA OB



BLK



WHT

Professional and stylish work shoe

Upper	Synthetic Leather
Outsole	PU
Slip resistant	SRC
Anti-static	
Lining	Coolmax Mesh, Synthetic Leather
Footbed	Synthetic Leather
Category	EN ISO 20347:2012 - OB / SRC, E, FO
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



Synthetic leather upper: can easily be cleaned with a damp cloth and some soap.

Coolmax®-lining: keeps your feet cool and draws perspiration away from the skin.



ULTRALIGHT & SHOCK ABSORBING

The EVA midsole is ultralight and flexible, providing excellent shock absorption. The shoe weighs about 250 grams.



SLIP RESISTANCE SRA

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRA non-slip standard.



ANTI-STATIC ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity, and complies with the anti-static standard ESD (Electrostatic Discharge)..

BERLIN 02



BLK

DUBLIN 02



BLK

Classic uniform shoe for professionals

Upper	Nappa Leather
Outsole	PU/Rubber
Slip resistant SRC	
Anti-static	
Lining	Microsuede, Synthetic Leather
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O2 / SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 • CM 25.5-31.0



breathable uniform shoe for professionals

Upper	Nappa Leather
Outsole	PU/Rubber
Slip resistant SRC	
Anti-static	
Lining	Microsuede, Synthetic Leather
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O2 / SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 • CM 25.5-31.0



CORPORATE





CHEMICALLY
and UV sterilisable



CHEMICALLY AND UV STERILISABLE

The shoes can be safely washed in the washing machine at the indicated temperature.



AUTOCLAVABLE

The Oxylog model can be sterilised in the autoclave.



ULTRA-LIGHT

Extremely light and flexible.



SHOCK ABSORBING

The light materials provide excellent cushioning.



WATERPROOF

All clogs are made out of waterproof material.



CE STANDARD

CE EN 20347-certified.
High quality materials, free from toxic substances.



SLIP RESISTANT

The pattern of the outsole ensures maximum grip on both wet and dry surfaces and is compliant with the non-slip standard.



ANTI-STATIC ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and that complies with the ESD anti-static standard (Electrostatic Discharge).



SMOOTH OB



WHT



Closed model with great comfort

Upper	Expanded EVA
Outsole	EVA, EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Footbed	N/A
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 36-46 • UK 3.5-11.0 • US 4.0-12.0 • CM 23.5-30.0



SONIC OB



BLK



Extremely light hospital clog

Upper	Expanded EVA
Outsole	EVA
Slip resistant	SRC
Anti-static	ESD
Footbed	N/A
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 41-45/46 • UK 7.5-10.5/11.0 • US 8.0-11.5/12.0 • CM 26.5-29.5/30.0



OXYCLOG OB



BLU



The clog that meets all your needs

Upper	TPE
Outsole	TPE
Slip resistant	SRA
Anti-static	ESD
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRA, E
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Size range	EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0 • US 3.0/4.0-11.5/12.0 • CM 23.0/23.5-29.5/30.0



OXYVA OB



BLK



EBL

EGN

FUX

LIC



NAV

WHT

OXYSAFE PB



WHT



BLK

NAV

BESTCLOG OB



BLK



WHT

Unmatched comfort

Upper	Expanded EVA
Outsole	EVA
Slip resistant	SRC
Anti-static	ESD
Footbed	Comfort Footbed, Oxy Basic
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0 • US 3.0/4.0-11.5/12.0 • CM 23.0/23.5-29.5/30.0

The lightest safety shoe on the market

Upper	Expanded EVA
Outsole	EVA
Toecap	Composite
Slip resistant	SRC
Anti-static	ESD
Footbed	Comfort Footbed
Category	EN ISO 20346:2014 - PB / ESD, A, SRC, E
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 35-45/46 • UK 3.0-10.5/11.0 • US 3.0-11.5/12.0 • CM 23.0-29.5/30.0

Fashionable ultra-light clog for all day comfort

Upper	EVA, Expanded EVA
Outsole	EVA, EVA/Rubber, Rubber
Slip resistant	SRC
Anti-static	
Lining	EVA, N/A
Footbed	Mesh, SJ foam footbed
Category	EN ISO 20347:2012 - OB / SRC
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 36-45 • UK 3.5-10.5 • US 4.0-11.5 • CM 23.5-29.5





BESTLIGHT1 OB



BLK



WHT

Ultra-light, universal clog

Upper	EVA, Expanded EVA
Outsole	EVA, EVA/Rubber, Rubber
Slip resistant SRC	
Anti-static	
Lining	N/A
Footbed	Mesh, SJ Basic 2
Category	EN ISO 20347:2012 - OB / SRC
Maintenance	Not autoclavable Washable at 30°C Chemically and UV sterilisable
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0



The Move collection consists of leather shoes with an ultralight slip resistant outsole.

Leather upper: can easily be cleaned with a damp cloth and some soap.

Coolmax®-lining: keeps your feet cool and draws perspiration away from the skin.

Removable insole: regularly renew your insoles or use your own orthopedic insoles.



ULTRALIGHT & SHOCK ABSORBING

The EVA midsole is ultralight and flexible, providing excellent shock absorption. The shoe weighs about 250 grams.



SLIP RESISTANCE SRC

The rubber outsole ensures maximum grip on both wet and dry surfaces and is compliant with the SRC non-slip standard (SRA+SRB).



ANTI-STATIC ESD

The shoe features an anti-static insert that facilitates the dissipation of static electricity and complies with the anti-static standard ESD (Electrostatic Discharge).

SAMANTHA OB

LISBETH 02

SHEILA OB



FUC



BLK

LBL

LGN

LLC



WHT



LLC



BLK

LBL

PFU

WHT



LBL



FUC

WHT

Comfortabele veterloze schoen voor vrouwen

Upper	Nappa Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Casual & comfortable shoe for women

Upper	Nappa Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O2 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Shoe with adjustable velcro straps

Upper	Nappa Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



EVELYN 01



LBL



BLK

FUC

WHT

ALIZA 0B



WHT



BLK

FUC

LBL

LLC



LMG

DANY 0B



LBL



BLK

FUC

MUG

MUL



WHT

Lightweight and breathable all day long

Upper	Mesh
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Sandal in stretchable lycra

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-35 • UK 3.0-3.0 • US 5.5-5.5 • CM 23.0-23.0

Trendy clog with a playful touch

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



LINA **OB**

LBL



BLK

FUC

LGN

LLC



MUL

WHT

NILDA **O1**

BLK



FUC

LBL

LGN

LLC



WHT

EVA **O1**

WHT



BLK

Elegant and casual

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Ballet flats with refined comfort

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Sporty look, great comfort

Upper	Printed Action Leather
Outsole	EVA, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0





BIANCA OB



MUG




BLK

WHT

Casual and comfortable clog for her

Upper	Synthetic Leather
Outsole	Cork/Rubber
Slip resistant SRC	
Anti-static	
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - OB / SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



MEDILOGIC

SOPHIE O1



BLK



FUC

LBL

LGN

LLC



PFU

WHT

Sober look, pure comfort

Upper	Synthetic
Outsole	EVA/Rubber
Slip resistant SRC	
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



CAMILLE 01



WHT



BLK

FUC

LBL

LGN



LLC

CARINNE 0B



FUC



BLK

LBL

LGN

LLC



WHT

ELIANE 01



BLK



FUC

LBL

LGN

LLC



WHT

Ultra-comfortable shoe in lycra

Upper	Synthetic
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Clog with adjustable velcro strap

Upper	Synthetic
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 35-35 • UK 3.0-3.0 • US 5.5-5.5 • CM 23.0-23.0

Sporty design with adjustable velcro strap

Upper	Synthetic
Outsole	EVA/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



EVAN 01



WHT



BLK

ROY 01



NAV



WHT

REMY 0B



NAV



WHT

Trendy and comfortable

Upper	Printed Action Leather
Outsole	EVA, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 36-46 • UK 3.5-11.0 • US 4.0-12.0 • CM 23.5-30.0

Comfortable loafer

Upper	Printed Action Leather
Outsole	EVA, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 36-46 • UK 3.5-11.0 • US 4.0-12.0 • CM 23.5-30.0

Clog with adjustable strap

Upper	Printed Action Leather
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - OB / ESD, A, SRC, E
Size range	EU 36-46 • UK 3.5-11.0 • US 4.0-12.0 • CM 23.5-30.0



KASSIE 01



BLK



BLU

DGR

WHT

KAYLA 02



BLK

ROMAN 01



BLK



GRY

Breathable youthful work sneaker

Upper	3D-Mesh
Outsole	Phylon/Rubber
Slip resistant	SRC
Anti-static	
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / SRC
Size range	EU 35-48 • UK 3.0-13.0 • US 3.0-13.5 • CM 23.0-31.5

Soft full-leather work sneaker for comfort, safety and style!

Upper	Nappa Leather
Outsole	Phylon/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O2 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Airy and trendy sneaker for him

Upper	Synthetic Leather
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 40-47 • UK 7.0-12.0 • US 7.5-13.0 • CM 26.0-31.0



PATRICIA 01



BLK



GBL



LPK

LUCA 01



LGR



NAV

KARLA 01



FUX



LBL



LGR

Airy and trendy sneaker for her

Upper	Synthetic Leather
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0

Light, breathable sneaker for him

Upper	Textile
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Elastic Mesh
Footbed	Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 • CM 25.5-31.0

Light, breathable sneaker for her

Upper	Textile
Outsole	Phylon, Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Elastic Mesh
Footbed	Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 36-42 • UK 3.5-8.0 • US 6.0-10.5 • CM 23.5-27.0



CLARK 01



BLK



NAV

PAOLA 01



BLK



FUX



NAV

Low, leather sneaker for him

Upper	Baku Action Leather
Outsole	Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 40-47 • UK 7.0-12.0 • US 7.5-13.0 • CM 26.0-31.0

Low, leather sneaker for her

Upper	Baku Action Leather
Outsole	Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax Mesh
Footbed	Coolmax Mesh
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 36-42 • UK 3.5-8.0 • US 6.0-10.5 • CM 23.5-27.0



DOMINIQUE 01



BLK

JUSTIN 01



NAV



LGR

ELA 01



LIC



FUX



LBL



LGR

Sneaker with optimal cushioning and comfort

Upper	Action Leather/Textile
Outsole	PU/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	3D-Mesh, Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



Sporty and trendy sneaker for him

Upper	Synthetic Leather
Outsole	PU/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 • CM 25.5-31.0



Sporty and trendy sneaker for her

Upper	Synthetic Leather
Outsole	PU/Rubber
Slip resistant	SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O1 / ESD, SRC
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



JAMES OB



BLK



LGR

NAV

MAUD OB



FUX



BLK

LGR

NAV

WHT

HENNY OB



NAV



LGR

Sporty and ultra-light sneaker for him

Upper	Textile
Outsole	EVA/Rubber
Slip resistant SRA	
Anti-static	
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / SRA, E
Size range	EU 39-47 • UK 6.0-12.0 • US 6.5-13.0 • CM 25.5-31.0



Sporty and ultra-light sneaker for her

Upper	Textile
Outsole	EVA/Rubber
Slip resistant SRA	
Anti-static	
Lining	Coolmax Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / SRA, E
Size range	EU 36-42 • UK 3.5-8.0 • US 6.0-10.5 • CM 23.5-27.0



Sporty and fashionable sneaker for him

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant SRA	
Anti-static	
Lining	Mesh
Footbed	Mesh
Category	EN ISO 20347:2012 - OB / SRA, E
Size range	EU 40-46 • UK 7.0-11.0 • US 7.5-12.0 • CM 26.0-30.0



SUNNY OB



LBL



FUX

LGR


LIC

Sporty and fashionable sneaker for her

Upper	Synthetic Leather
Outsole	EVA/Rubber
Slip resistant SRA	
Anti-static	
Lining	Mesh
Footbed	Oxy Basic
Category	EN ISO 20347:2012 - OB / SRA, E
Size range	EU 35-42 • UK 3.0-8.0 • US 5.5-10.5 • CM 23.0-27.0



PHARMAMASK



BLU

Disposable sterile surgical mask

Pharmamask is a disposable sterile surgical mask, CE certified. This product is suitable for use in a general medical environment. It is composed out of three materials: a non-woven fabric, a nose strip and an elastic band. The face mask is divided into an inner-, middle- and outer polypropylene fiber meltblown fabric. The nose strip is made of a galvanized metal strip.

- Adjustable nose bridge
- Comfortable & breathable
- Special 3-ply non-woven design

CE EN14683-2019 TYPE IIR BFE ≥98%

OXYWATCH



WHT

Shock absorbing watch

This watch in a silicone brooch is **water resistant** and compliant with the **ROHS standard**. The clock in the brooch can be turned up or down in the direction you prefer.

**SAFETY
JOGGER**

TACTICAL



waterproof boots

Boots labeled 'waterproof' provide the highest quality level of protection from water and liquids. They keep your feet comfortably dry in numerous environments.



comfortable footbed



The comfortable footbed is developed with an exceptional perforated structure. This ensures lightness, air breathability and comfort all day long. The footbed takes full-surface foot support to the next level while maintaining all other features such as shock impact zone, arch support, shock absorption, electrostatic discharge. With this footbed, your feet will feel comfortable all day long.



certified slip resistance

SRA slip resistant soles are tested on a ceramic tile wetted with dilute soap solution.

+

SRB slip resistant soles are tested on smooth steel with glycerol.

=

SRC slip resistant soles pass both SRA and SRB slip resistance tests.

self-cleaning outsole profile



BLK



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut allround tactical boot

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	Composite
Midsole	Anti-puncture Textile
Lining	Coolmax Mesh, Membrane
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / SRC, WR, HRO
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



SRA SLIP RESISTANCE

Slip resistance is one of the most important features of safety and occupational footwear. SRA slip resistant soles are tested on a ceramic tile with dilute soap solution.

Mid-cut allround tactical boot

Upper	Nappa Action Leather
Outsole	Rubber
Toecap	
Midsole	
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - OB / SRA, FO, HRO
Size range	EU 36-47 • UK 3.5-12.0 • US 4.0-13.0 • CM 23.5-31.0





ARMOUR 02



BLK



SYMPATEX® LINING
Keeps your feet dry and comfortable in all weather conditions.

Mid-cut allround tactical boot

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	
Midsole	
Lining	Coolmax Mesh, Sympatex Membrane
Footbed	SJ foam footbed
Category	EN ISO 20347:2012 - O2 / SRC, WR, HI, CI, FO, HRO
Size range	EU 36-48 • UK 3.5-13.0 • US 4.0-13.5 • CM 23.5-31.5



TACTICAL





SHARK **S3**

BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

High-cut lightweight allround tactical boot

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC, WR
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



DRAGON S3



BLK

KOMODO S3



BLK



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Mid-cut lightweight allround tactical boot

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0



S3

S3 safety shoes are suitable for work in an environment with high humidity and presence of oil or hydrocarbons. These shoes also protect against perforation risk of the sole, and foot crushing.

Low-cut lightweight allround tactical boot

Upper	Waterproof Leather
Outsole	EVA/Rubber
Toecap	Nano Carbon
Midsole	Nonwoven
Lining	Mesh
Footbed	SJ foam footbed
Category	EN ISO 20345:2011 - S3 / ESD, SRC
Size range	EU 35-47 • UK 3.0-12.0 • US 3.0-13.0 • CM 23.0-31.0





KEEPS YOU ON YOUR FEET





VISITOR



BLK

VISITORC



BLK

VISITORI



BLK

Safety cap overshoe

Composition	Rubber and protective toe cap in aluminum/ titanium
Professional use	Against impacts and toe crush injuries
Size range	S(34-38) - M(39-43) - XL(44-48)

- Aluminium/titanium toe cap : Ultra light!
- Velcro comfort strap: 3 sizes to cover from 34 to 50
- Color code to track sizes
- Can be adapted to all kind of footwear (even high-heeled shoes)
- Reusable
- Tiger-grip® antislip sole with self cleaning studs



Safety cap overshoe

Composition	Rubber and protective toe cap in aluminum/ titanium
Professional use	Against impacts and toe crush injuries
Size range	S(34-38) - M(39-43) - XL(44-48)

- Aluminium/titanium toe cap : Ultra light!
- Multidirectional straps : secure hold of the foot
- Only 3 sizes to cover from 34 to 50
- Color code to track sizes
- Can be adapted to all kind of footwear (even high-heeled shoes)
- Reusable
- Tiger-grip® antislip sole with self cleaning studs



Anti slip overshoe with safety cap and anti-puncture sole

Composition	Rubber + aluminium/titanium toe cap + steel sole
Professional use	Slip resistance, toes and soles of the feet protection. Secure moves in the work place
Size range	S(34-37) - M(38-42) - L(43-45) - XL(46-47)

- Anti-puncture sole made of steel
- Toe cap made of aluminium/titanium. Ultra light!
- Outstanding grip coefficient
- Multidirectional straps : secure hold of the foot
- Only 4 sizes to cover from 34 to 47
- Color code to track sizes
- Can be adapted to most kind of footwear
- Reusable
- Mixed Tiger-grip® sole for indoor and outdoor use



VISITORP



BLK

VISITORMF



BLK

EASYGRIP



BLK

Anti slip overshoe with safety cap

Composition	Rubber and protective toe cap made of aluminium/titanium.
Professional use	Slip resistance and toes protection. Secure moves in the work place
Size range	S(34-37) - M(38-42) - L(43-45) - XL(46-47)

- Outstanding grip coefficient
- Toe cap made of aluminium/titanium. Ultra light!
- Multidirectional straps : secure hold of the foot
- Only 4 sizes to cover from 34 to 47
- Color code to track sizes
- Can be adapted to most kind of footwear
- Reusable
- Tiger-grip® anti slip sole with self cleaning studs



Non magnetic safety cap overshoe

Composition	Rubber and protective toe cap in fibreglass
Professional use	Against impacts and toe crush injuries.
Size range	S(34-38) - M(39-43) - XL(44-48)

- Fibreglass toe cap : Metal free and ultra light !
- Rivets in nylon
- Velcro comfort strap: 3 sizes to cover from 34 to 50
- Color code to track sizes
- Can be adapted to all kind of footwear (even high-heeled shoes)
- Reusable
- Tiger-grip® antislip sole with self cleaning studs




Anti-slip overshoe

Composition	100% rubber.
Professional use	For greasy, wet and slipping surfaces.
Size range	S(34-37) - M(38-41) - L(42-45) - XL(46-48)

- Outstanding grip coefficient
- Stretch fit structure : 4 Sizes from 34 to 50
- Color-coded sizes : identify the size at a single glance
- Can be adapted to most kind of footwear
- Hygienic and comfortable solution
- Reusable and waterproof
- Tiger-grip® antislip sole with self cleaning studs



EASYMAX



GRY

TOTPROTEC



BLK

TOTPROTECP



BLK

Anti-slip overshoe, special for safety and oversized shoes

Composition	100% rubber.
Professional use	For greasy, wet and slipping surfaces.
Size range	S(35-37) - M(38-40) - L(41-42) - XL(43-45) - XXL(46-48)

- Outstanding grip coefficient
- Specifically designed for safety and oversized shoes
- Stretch fit structure : 5 Sizes from 35 to 48
- Hygienic and comfortable solution
- Reusable and waterproof
- Tiger-grip® antislip sole with self cleaning studs

Anti-slip overshoe with safety cap

Composition	Rubber and protective toe cap in aluminum/titanium
Professional use	Prevents injuries in the work place: Slips and toe crushing
Size range	S(34-37) - M(38-41) - L(42-45) - XL(46-48)

- Aluminium/titanium toe cap : Ultra light!
- Outstanding grip coefficient
- Stretch fit structure : 4 Sizes to cover from 34 to 50
- Color code to track sizes
- Can be adapted to most kind of footwear
- Reusable - waterproof
- Tiger-grip® antislip sole with self cleaning studs

Anti-slip overshoe with safety cap and anti puncture outsole

Composition	Rubber + protective toe cap in aluminum/titanium + outsoles (kevlar and steel)
Professional use	Prevents injuries in the work place: slips, toe crushing and puncture damages.
Size range	S(34-37) - M(38-41) - L(42-45) - XL(46-48)

- Antipuncture outsole : full Kevlar outsole + steel midsole at the heel
- Aluminium/titanium toe cap : Ultra light!
- Outstanding grip coefficient
- Stretch fit structure : 4 Sizes to cover from 34 to 50
- Color code to track sizes
- Can be adapted to most kind of footwear
- Reusable - waterproof
- Tiger-grip® antislip sole with self cleaning studs



JACKSGRIP **OB**



SKIPGRIP



AQUAGRIP



Antislip work clog

Composition	EVA and outsole made of rubber.
Professional use	For greasy, wet and slipping surfaces.
Size range	EU 35-46

- Outstanding grip coefficient
- Light and comfortable material
- Excellent fit : heel's dynamic hold system
- Ventilation channels : total aeration
- Reinforced arches : instep protection
- Tiger-grip® antislip sole Spirit of Grip with self cleaning studs

Professional antislip flip-flop

Professional use or leisure	Secure movements on slippery floors in wet environments
Size range	EU 35-46

- Outstanding grip coefficient
- Comfort sole with triple density
- Heel cushioning
- Antifungal foam
- Waterproof cloth
- Tiger-grip® antislip sole with self cleaning studs

Professional antislip shoe

Composition	EVA and outsole made of rubber.
Professional use or leisure	Secure movements on slippery floors in wet environments
Size range	EU 35-46

- Outstanding grip coefficient
- Built-in water drainage system
- Tiger-grip® antislip sole Spirit of Grip with self cleaning studs



CITYGRIP



BLK

Ice and snow traction overshoe

Composition	Rubber and spikes in steel
Professional or leisure use	Against the risk of slipping and falling on icy surfaces
Size range	S(34-38) - M(39-43) - XL(44-48)

- Large and non aggressive steel spikes
- Stretch fit structure: only 3 sizes from 34 to 50 !
- Can be adapted to all kind of footwear
- Preformed and stretch fit structure at the front : perfect fit !
- Reusable

WINTERGRIP



BLK

Ice and all surfaces overshoe

Composition	Rubber and spikes in steel
Professional or leisure use	Against the risk of slipping and failling when outdoors
Size range	M(38-42)

- Large and non aggressive steel spikes
- Stretch fit structure: only 3 sizes from 34 to 50 !
- Can be adapted to all kind of footwear
- Preformed and stretch fit structure at the front : perfect fit !
- Reusable



Interchangeable spikes



SPALLSTEEL
Steel all
terrain



SPALLTUNG
Tungsten all
terrain



SPICETUNG
Tungsten ice
grip

International size conversion chart

Men	Sizes													
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	3.5	4	5	6	7	7.5	8	9	10	10.5	11	12	13
US	3	4	4.5	5.5	6.5	7.5	8	9	10	10.5	11.5	12	13	13.5
CM	23	23.5	24	25	25.5	26	26.5	27	28	28.5	29.5	30	31	31.5

Women	Sizes							
EU	35	36	37	38	39	40	41	42
UK	3	3.5	4	5	6	6.5	7	8
US	5.5	6	6.5	7.5	8	9	9.5	10.5
CM	23	23.5	24	25	25.5	26	26.5	27

Jump	Sizes					
EU	35/36	37/38	39/40	41/42	43/44	45/46
UK	3	3.5	4	5	6	6.5
US	5.5	6	6.5	7.5	8	9
CM	23	23.5	24	25	25.5	26

Certificates

- EN20345
- AS/NZS2210.3.2009
- GOST
- ASTM
- OHSC
- JIS
- LA
- SNI
- SIRIM



Brand awareness

- ✓ City MTB
- ✓ Alcatraz
- ✓ Airshow
- ✓ Website & social





Alcatraz Metal Festival

Alcatraz Metal & Hard Rock Festival in Kortrijk, Belgium is a total experience. The grounds at Sportcampus Lange Munte were arranged as a prison where the guard - Officer Nice, the mascot here - greets you at the entrance. The festival derives its name from the famous prison island off the coast of San Francisco. The festival visitors tell them that they went "to prison", where they were locked up with a series of excellent bands.

For half a decade, Safety Jogger supports the Alcatraz community by offering safety footwear & T-shirts for every volunteer or worker involved in putting together this unreal festival. We also provide big-top tents & other must-have items for music events. In return we're able to promote our rock-solid brand to a community in which we are very active.

visit www.alcatraz.be





Stijn De Jaegere Aerobatics

With these words, Wilbur Wright confirmed his plans a few minutes before he made the first public flight with a motorized aeroplane. A hundred years later, Stijn De Jaeghere is equally determined to realize his flight plans and now goes to extremes to reach the top in aerobatics.

Since several years Safety Jogger is not only visible on the ground, but also in the air! We've known Stijn for years and his story behind aerobatics and the dedication that he has shown to achieve his goal is admirable, we're delighted that we can support him in his flight to the top!


visit www.stijndejaeghere.com



Retailer support

- ✓ POS
- ✓ Shop in shop
- ✓ Merchandise
- ✓ Custom catalogs & flyers
- ✓ Technical knowledge
- ✓ Winterbox





Sales team

Europe

Pieter De Graaf - pieter.degraaf@cortina.be
Netherlands

Hans Haentjens - hans.haentjens@safetyjogger.com
Austria, Germany, Switzerland

Davy Nys - davy.nys@safetyjogger.com
Germany, East Europe

Olivier Vanderschueren - olivier.vanderschueren@safetyjogger.com
Belgium, Italy, Cyprus, Greece

Steven Marichael - steven.marichael@safetyjogger.com
Luxemburg, France, Scandinavia, Baltic states

Thomas Souchet - thomas.souchet@safetyjogger.com
France, Spain

Pedro Faria - pedro.faria@safetyjogger.com
Portugal

Asia

Jako Huang - jako.huang@cortinachina.com
Malaysia, Brunei, Singapore, Thailand

Leon Chen - leon.chen@cortinachina.com
Vietnam, Indonesia, Hongkong, Bangladesh, Cambodia, Myanmar, Macau, Laos, Maldives, Mongolia, Bhutan

Kevin Zhou - kevin.zhou@cortinachina.com
Philippines

Holly Jin - holly.jin@cortinachina.com
Japan, South Korea, Sri Lanka, Taiwan

Zoe Zhou - zoe.zhou@cortinachina.com
Japan

Oceania

Tony Vass - tony.vass@safetyjogger.com
Australia, New Zealand, Papua New Guinea, Fiji, Vanuatu, Puaea Pahonu, New Caledonia

Middle East

Green Hu - green.hu@cortinachina.com
Kuwait, UAE, Bahrain, Saudi Arabia, Oman, Qatar, Afghanistan, Yemen, Syria

Dieter Balcaen - dieter.balcaen@safetyjogger.com
Jordan, Lebanon, Iraq

China

Richard Zhu - richard.zhu@cortinachina.com
China

Frank Yu - frank.yu@cortinachina.com
Northwest China

Eason Wang - eason.wang@cortinachina.com
North China

Sara Lu - sara.lu@cortinachina.com
South China

George Yuan - george.yuan@cortinachina.com
East China

Potter Jiang - potter.jiang@cortinachina.com
Southwest China

Jim Yang - jim.yang@cortinachina.com
Middle China

Colin Jing - colin.jing@cortinachina.com
Shadong & Henan China

Russia

Olga Steppe - olga.steppe@safetyjogger.com
Sergej Darienko - sergej.darienko@safetyjogger.com
Russia

North America

Barney Gollings
barney.gollings@safetyjogger.com
USA, Canada

Kevin Zhou
kevin.zhou@fitronamericas.com
USA, Canada

South America

Barney Gollings - barney.gollings@safetyjogger.com
Lucy Escobar - lucy.escobar@cortinachina.com
Chile, Costa Rica, El Salvador, Honduras, Mexico, Colombia, Panama, Uruguay, Dominican Republic, Peru, Ecuador, Caribbean, Guatemala

Africa

Dieter Balcaen - dieter.balcaen@safetyjogger.com
Nigeria, Egypt, Kenya, Tanzania, South Africa, Ghana, Reunion, Rwanda, Zambia, Sudan, Israel, Malta, Cote D'ivoire, Botswana, Lybia, Congo, Ethiopia, Uganda, Angola, Togo, Seychelles, Mauritius, Palestine, Morocco, Algeria, Tunesia

Hemanshu Hashia
hemanshu.hashia@safetyjogger.com
India



SAFETY JOGGER

WORKS

INDUSTRIAL PROFESSIONAL TACTICAL

WWW.SAFETYJOGGER.COM

**ENGINEERED
IN EUROPE**

EUROPE

Meersbloem Melden 42
9700 Oudenaarde
Belgium

Phone: (32) 55 33 44 44
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: 1-877-669-9727
info@fitronamericas.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)

广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部(邮编523216)

Phone: (86) 769 3901 8500
safetyjogger@cortinachina.com

RUSSIA

Невский проспект 55 А
191025 Санкт-Петербург
Россия

Телефон: 7 (812) 313 92 96
info@safetyjogger.com